

Converted to Water injections Started injecting April 1963

FILE NOTATIONS

Entered in NID File

✓

Checked by Chief

✓

Entered On S.I. Sheet

✓

Copy NID to Field Office

✓

Location Map Filed

✓

Approved by Chief

✓

Disc. in File

✓

Disc. in File

DATE of Review

DATE of Review

DATE of Review

DATE of Review

TE

4-14-58

TE

TE X

TE

TE

TE

LAST REVIEW

DATE 7-2-58

DATE 7-2-58

E L E-H CR GRN Micro

Lat Alt Sonic Others *Radioactivity Log*

Scout Report sent out



Noted in the NID File



Location map pinned



Approval or Disapproval Letter



Date Completed, P. & A, or
operations suspended

Pin changed on location map



Affidavit and Record of A & P



Water Shut-Off Test



G. Oil Ratio Test



Well Log Filed



(SUBMIT IN TRIPLICATE)


Indian Agency **Navajo**

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Contract No. **I-149-Ind-8238**

Allottee _____

Lease No. _____



Lease No. **146028**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Navajo Tribe "C"

Fort Worth, Texas, March 17, 1958.

Well No. **32** is located **795** ft. from **N** line and **1960** ft. from **W** line of sec. **25**

SE 1/4, Sec. 25
(1/4 Sec. and Sec. No.)

40-South
(Twp.)

24-East
(Range)

SLM
(Meridian)

Aneth
(Field)

San Juan
(County or Subdivision)

Utah
(State or Territory)

The elevation of the derrick floor above sea level is **4791** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

OBJECTIVE FORMATION	SIZE CASING	CASING PROGRAM (Approx.)
		Set at Cement
Top of Aneth 5620'	8-5/8" (1500')	1500' 1000 sx.
	5-1/2" (5500')	
	5-1/2" (320')	5820' 500 sx.


I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **THE TEXAS COMPANY**


Address **P.O. Box 1720
Fort Worth 1, Texas**

THE TEXAS COMPANY

By **J. J. Velten**
J. J. Velten
Title **Division Civil Engineer**



This is to certify that the courses, distances and objects reflected on the plat to which this certificate is affixed were observed and compiled under my supervision and, according to my best knowledge and belief, are true and correct.


 Division Civil Engineer
 The Texas Company
 Registered Professional Engineer - State of Texas

March 19, 1958

The Texas Company
P. O. Box 1720
Fort Worth, Texas

Attention: J. J. Velten, Division Civil Engineer

Gentlemen:

This is to acknowledge receipt of your notices of intention to drill Well No. Navajo Tribe C-31, which is to be located 710 feet from the south line and 510 feet from the east line of Section 26, and Well No. Navajo Tribe C-32, which is to be located 795 feet from the south line and 1960 feet from the west line of Section 25, Township 40 South, Range 24 East, SEEM, San Juan County, Utah.

Please be advised that insofar as this office is concerned, approval to drill said wells is hereby granted.

This approval terminates within 90 days if the above mentioned wells are not spudded in within said period.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLYDE B. FREIGHT
SECRETARY

CHP:cn

cc: Phil McGrath
USGS, Farmington,
New Mexico

(SUBMIT IN TRIPLICATE)

Indian Agency Navajo

Tribal

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee _____

Lease No. I-149-IND-8838

SUNDRY NOTICES AND REPORTS ON WELLS

71-4
6-27

NOTICE OF INTENTION TO DRILL _____	SUBSEQUENT REPORT OF WATER SHUT-OFF _____	XX
NOTICE OF INTENTION TO CHANGE PLANS _____	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING _____	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF _____	SUBSEQUENT REPORT OF ALTERING CASING _____	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL _____	SUBSEQUENT REPORT OF REDRILLING OR REPAIR _____	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE _____	SUBSEQUENT REPORT OF ABANDONMENT _____	
NOTICE OF INTENTION TO PULL OR ALTER CASING _____	SUPPLEMENTARY WELL HISTORY _____	
NOTICE OF INTENTION TO ABANDON WELL _____		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 20, 1958

Navajo Tribe "C"

Well No. 32 is located 795 ft. from XX line and 1960 ft. from XX line of sec. 25

SW 1/4 of Sec. 25 40-S 24-E SLM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Aneth San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4791 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded 3:00 A.M., March 25, 1958.

Drilled 11" hole to 1515' and cemented 1503' of 8-5/8" O.D. casing at 1515' with 1050 sacks of cement. Cement circulated. Tested casing with 800# pressure for 30 minutes. Tested OK.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Texas Company

Address Box 617

Farmington, New Mexico

By [Signature]

Title Dist. Supt.

(SUBMIT IN TRIPLICATE)

Indian Agency -- ~~Mavejo~~

Tribal

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee

Lease No. I-149-IND-8838

A 4x4 grid with a dot in the bottom-left cell.

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	XXX
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 26, 1958

Navajo Tribe "C"

Well No. 32 is located 795 ft. from N line and 1960 ft. from E line of sec. 25.

SWA of Sec. 25
($\frac{1}{4}$ Sec. and Sec. No.)

40-3
(Twp.)

24-E

(Range)

SLM

(Meridian)

~~Ineth~~

San Juan
(County or Subdivision)

Utah
(State or Territory)

The elevation of the derrick floor above sea level is 4791 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Total depth 5825'. Plugged back depth 5795'.

Perforated 4-1/2" casing from 5580' to 5600', 5624' to 5631', 5639' to 5650', 5662' to 5665', 5676' to 5695' and 5699' to 5715' with 4 jet shots per foot. Ran 2" tubing to 5566' with packer set at 5304' and acidized perforations with 8000 gallons regular 15% acid in 3 stages using 1000 gallons fix-a-frac.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Texas Company

Address.....Box 817

Farmington, New Mexico

By

Title _____ Dist. Supt. _____

(SUBMIT IN TRIPLICATE)

Indian Agency Navajo


UNITED STATES

Tribal

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee _____

Lease No. I-149-IND-8838



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	XXX
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 26, 19 58

Navajo Tribe "C"

Well No. 32 is located 795 ft. from NE line and 1960 ft. from WE line of sec. 25

SW1 of Sec. 25 40-S 24-E S1E
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Aneth San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4791 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Drilled 6-3/4" hole to 5875' and cemented 5812' of 4-1/2" O.D. casing at 5824' with 250 sacks of cement. Top of cement 4420'. Tested casing with 1000# pressure for 30 minutes. Tested OK.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company The Texas Company

Address Box 817

Farmington, New Mexico

By [Signature]
Title Asst. Supt.

Navajo Tribal
U. S. LAND OFFICE
SERIAL NUMBER **I-149-IND-8838**
LEASE OR PERMIT TO PROSPECT



LOCATE WELL CORRECTLY

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

Company The Texas Company Address Box 817, Farmington, N. M.
Lessor or Tract Navajo Tribe "C" Field Aneth State Utah
Well No. 32 Sec. 25 T. 40-S. 24-E Meridian SLM County San Juan
Location 795 ft. {N.} of S. Line and 1960 ft. {E.} of E. Line of Section 25 Elevation 4791'
(Derrick floor relative to sea level)
The information given herewith is a complete and correct record of the well and all work done thereon
so far as can be determined from all available records.
Signed [Signature]
Date June 27, 1958 Title Dist. Sup't.

The summary on this page is for the condition of the well at above date.

Commenced drilling March 25, 1958 Finished drilling April 11, 1958

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from 5580' to 5715' No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from None to _____ No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
<u>8-5/8</u>	<u>24</u>	<u>8R</u>	<u>Smile</u>	<u>1503</u>	<u>Baker</u>	<u>None</u>			
<u>4-1/2</u>	<u>9.5</u>	<u>8R</u>	<u>Smile</u>	<u>5812</u>	<u>Baker</u>	<u>None</u>			

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
<u>8-5/8</u>	<u>1515'</u>	<u>1050</u>	<u>Halliburton</u>		
<u>4-1/2</u>	<u>5824'</u>	<u>250</u>	<u>Halliburton</u>		

PLUGS AND ADAPTERS

Heaving plug—Material **None** Length **--** Depth set **--**Adapters—Material **None** Size **--**

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out
None						

TOOLS USED

Rotary tools were used from **0** feet to **5825** feet, and from **--** feet to **--** feetCable tools were used from **None** feet to **--** feet, and from **--** feet to **--** feet

DATES

June 27, 19 **58** Put to producing **Tested April 14**, 19 **58**The production for the first 24 hours was **1800** barrels of fluid of which **99**% was oil; **1**% emulsion; **--**% water; and **--**% sediment. Gravity, °Bé. **39.2°**If gas well, cu. ft. per 24 hours **--** Gallons gasoline per 1,000 cu. ft. of gas **--**Rock pressure, lbs. per sq. in. **--**

EMPLOYEES

G. W. Rowlett, Driller **J. R. Newman**, Driller**D. S. Carson**, Driller **--**, Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
0	330	330	Sand, Shale & Shells
330	2577	2247	Sand & Shale
2577	2711	134	Shale & Red Bed
2711	2733	22	Sand
2733	3062	329	Sand & Shale
3062	4626	1564	Shale
4626	5789	1163	Lime & Shale
5789	5819	30	Shale
5819	5824	5	Salt
Total Depth 5824'			
Plugged Back Depth 5794'			

[OVER]

16-48004-4

W/

2001 2.700

FORMATION RECORD—Continued

FROM—	TO—	TOTAL FEET	FORMATION
FORMATION TOPS			
			Navajo - - - - - 822'
			Kayenta - - - - - 1178'
			Wingate - - - - - 1217'
			Chinle - - - - - 1622'
			Shinarump - - - - - 2474'
			Hoskinnini - - - - - 2536'
			DeChelly - - - - - 2703'
			Organ Rock - - - - - 2807'
			Hermosa - - - - - 4623'
			Paradox - - - - - 5766'
Formation Tops as per EL.			
HOLE SIZE			
0 to 1515' - 11"			
1515' to 5825' - 6-3/4"			
DEVIATION TESTS			
400' - 3/4°		3300' - 2-1/4°	
1151' - 1°		3925' - 1°	
1943' - 1-1/4°		4526' - 1°	
2375' - 1-1/2°		4925' - 1°	
2973' - 2-1/2°		5452' - 3/4°	
DST #1, 2711' to 2733'. Tool plugged after 23 minutes.			
DST #2, 2711' to 2733'. Tool open 2 hours with a strong blow of			
air and mud to surface in 2 hours. Recovered 60' of drilling mud			
and 2651' of salt water.			
All measurements from derrick floor, 10' above ground.			

HISTORY OF OIL OR GAS WELL

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.

After drilling to 5825' and cementing 4-1/2" casing, top of cement plug was found to be at 5794' (P.B.T.D.). Perforated 4-1/2" casing from 5580' to 5600', 5624' to 5631', 5639' to 5650', 5662' to 5665', 5676' to 5695' and 5699' to 5715' with 4 jet shots per foot. Ran 2" tubing to 5566' with packer set at 5304' and acidized perforations with 8000 gallons regular 15% acid in 3 stages using 1000 gallons of fix-a-frac. After swabbing, well flowed 300 barrels of oil in 4 hours.

(1999: 220-23)

001 02 070 00000 000 000000

[illegible]

1. The first part of the document is a letter from the President of the United States to the Congress, dated January 1, 1861. It is a copy of the original letter, which is in the possession of the Library of Congress. The letter is signed by James Buchanan, the President of the United States at the time.

2. The second part of the document is a copy of a letter from the Secretary of the Treasury to the President, dated January 1, 1861. It is a copy of the original letter, which is in the possession of the Library of Congress. The letter is signed by William A. Richardson, the Secretary of the Treasury at the time.

3. The third part of the document is a copy of a letter from the Secretary of the Treasury to the President, dated January 1, 1861. It is a copy of the original letter, which is in the possession of the Library of Congress. The letter is signed by William A. Richardson, the Secretary of the Treasury at the time.

4. The fourth part of the document is a copy of a letter from the Secretary of the Treasury to the President, dated January 1, 1861. It is a copy of the original letter, which is in the possession of the Library of Congress. The letter is signed by William A. Richardson, the Secretary of the Treasury at the time.

5. The fifth part of the document is a copy of a letter from the Secretary of the Treasury to the President, dated January 1, 1861. It is a copy of the original letter, which is in the possession of the Library of Congress. The letter is signed by William A. Richardson, the Secretary of the Treasury at the time.

6. The sixth part of the document is a copy of a letter from the Secretary of the Treasury to the President, dated January 1, 1861. It is a copy of the original letter, which is in the possession of the Library of Congress. The letter is signed by William A. Richardson, the Secretary of the Treasury at the time.

7. The seventh part of the document is a copy of a letter from the Secretary of the Treasury to the President, dated January 1, 1861. It is a copy of the original letter, which is in the possession of the Library of Congress. The letter is signed by William A. Richardson, the Secretary of the Treasury at the time.

8. The eighth part of the document is a copy of a letter from the Secretary of the Treasury to the President, dated January 1, 1861. It is a copy of the original letter, which is in the possession of the Library of Congress. The letter is signed by William A. Richardson, the Secretary of the Treasury at the time.

9. The ninth part of the document is a copy of a letter from the Secretary of the Treasury to the President, dated January 1, 1861. It is a copy of the original letter, which is in the possession of the Library of Congress. The letter is signed by William A. Richardson, the Secretary of the Treasury at the time.

10. The tenth part of the document is a copy of a letter from the Secretary of the Treasury to the President, dated January 1, 1861. It is a copy of the original letter, which is in the possession of the Library of Congress. The letter is signed by William A. Richardson, the Secretary of the Treasury at the time.

JOURNAL OF DOCUMENTATION

1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 2680, 26

the 1990s, the number of people in the United States who are 65 years of age or older is projected to increase from 20 million to 30 million, and the number of people 75 years of age or older is projected to increase from 10 million to 15 million (U.S. Census Bureau, 1996).

THE UNIVERSITY OF CHICAGO

1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 26

TYPE OF TOWEL TO BE PROVIDED: _____

6. 50. 11. 1968

0 2 1 5 3 0 3 1 0 1


vi. 1034) 11/20/13-31-17
 18. 11/24/13-12-15/2017

(SUBMIT IN TRIPLICATE)

Indian Agency Navajo

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee _____
Lease No. I-149-IND-8838



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	X	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	X	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

February 13, 1963

Aneth Unit
Well No. R425 is located 795 ft. from NM line and 1960 ft. from W line of sec. 25
SW 1/4 of Sec. 25 40-S 24-E SLM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Aneth San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4791 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Proposed remedial work is for the purpose of converting well from producing to water injection status. Procedure for this work is as follows:

Perforate 4 1/2" casing from 5722' to 5734' with two jet shots per foot. Run tubing with packer and spot 500 gallons of NELST acid across the new perforations. Set packer at 5550' and pump acid into formation. Pull tbg. with packer. Run 2-3/8" plastic lined tubing with injection packer and set packer at 5530'. Load casing annulus with inhibited water and commence water injection.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company TEXACO Inc.

Address Box 810

Farmington, N. M.

By [Signature]

Title District Superintendent

(SUBMIT IN TRIPLICATE)

Indian Agency Nava jo

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee

Lease No. I-149-IND-8838

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	X
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	X
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	X
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 12, 1963

Aneth Unit
Well No. 7405 is located 795 ft. from [S] line and 1960 ft. from [W] line of sec. 25

SW 1/4 Sec. 25 40-S 24-E SLM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Aneth San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4791 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Commenced workover 4-23-63.

Reason for remedial work was to convert well from an oil producer to a water injection well.

Pulled rods and tubing and perforated 4 1/2" casing from 5722' to 5734' with 2 jet shots per foot. Ran 2 3/8" plastic lined tubing with a Brown retrievable packer on bottom. With packer set at 5713' acidized perforations from 5722' to 5734' with 500 gallons of non-emulsified low surface tension acid. Acid went in formation on a vacuum. Picked up packer to 5522' and set. Loaded casing annulus with inhibited water and tested packer with 1000 PSI. Packer tested O.K. Connected well to water injection line and commenced water injection. On 24 hour test

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company TEXACO Inc.

Address Box 810

Farmington, New Mexico

By [Signature]

Title District Superintendent

May 29, 1964

ANETH UNIT

The annual key well bottom-hole survey was conducted from February through April, 1964. The results of this survey are as follows:

<u>Well No.</u>	<u>Date</u>	<u>Shut-in Time</u>	<u>PSI @ -900' Datum</u>
C112	3-19-64	72 hrs.	3240
B314	3-19-64	72 hrs.	3475
H220	2-27-64	72 hrs.	2166
F425	2-21-64	10 Mo.	1378
F226	3-19-64	72 hrs.	1805
H234	3-7-64	71 hrs.	2214
M430	3-7-64	72 hrs.	2032

The above listed information on bottom hole pressure surveys was taken from the Aneth Unit Agreement Letter dated April, 1964.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on reverse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

I-149-IND-8838

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Navajo

7. UNIT AGREEMENT NAME

Aneth Unit

8. FARM OR LEASE NAME

9. WELL NO.

F425

10. FIELD AND POOL, OR WILDCAT

Aneth

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

25, 40-S, 24-E, SLM

12. COUNTY OR PARISH

San Juan

13. STATE

Utah

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1.

OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

TEXACO Inc.

3. ADDRESS OF OPERATOR

Box 310, Farmington, New Mexico 87401

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)

At surface

795' from South Line and 1960' from West Line

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4791 DF

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☒REPAIR WELL ☒(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETION ☐ABANDON* ☐CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☐(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Proposed workover is for the purpose of shutting off porous intervals in Subzone II and recompleting the well as an injection well in Subzone I and upper Subzone II of the Desert Creek Formation.

Procedure for remedial work will be as follows:

Pull tubing with packer and set CI bridge plug at 5670'. By using packer and retrievable plug, acidize perforations from 5639' to 5665' with 500 gallons 15% Hcl and 2000 gallons CRA acid, perforations from 5624' to 5631' with 200 gallons of 15% Hcl and 1200 gallons CRA acid and perforations 5580' to 5600' with 500 gallons of 15% Hcl and 3500 gallons CRA acid. Rerun 2-3/8" plastic lined tubing with packer and set packer at 5530'. Load annulus with inhibited water and return well to water injection status.

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE District Accountant

DATE 11/20/64

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIP
(Other instruction re-
verse side)Form approved.
Budget Bureau No. 42-R1424.5. LEASE DESIGNATION AND SERIAL NO.
1-149-IND-88336. IF INDIAN, ALLOTTEE OR TRIBE NAME
Navajo7. UNIT AGREEMENT NAME
Aneth Unit

8. FARM OR LEASE NAME

9. WELL NO.

142510. FIELD AND POOL, OR WILDCAT
Aneth11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA**25, 40-S, 24-E, SW**

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4791 DF12. COUNTY OR PARISH
San Juan13. STATE
Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Season for workover was to convert well from oil producing to water injection status.

Workover well on 11-29-64. Pulled tubing with packer. Ran GI bridge plug on wire line and set at 5670'. Ran tubing with retrievable bridge plug and packer. Set plug at 5664', packer at 5623' and treated perforations 5623' to 5645' with 500 gallons of 15% HCL acid and 2000 gallons of CRA acid. Treating pressure 2500 to 1700 PSI with an average injection rate of 1.25 barrels per minute. After pumping 26 barrels of acid into formation, acid communicated to upper perforations. Moved packer to 5610' and treated perforations 5624' to 5631' and 5639' to 5665' with 200 gallons HCL acid and 1200 gallons CRA acid. Treating pressure 3400 to 1900 PSI with an average injection rate of one barrel per minute. Acid communicated to upper perforations. Left packer at 5610' and treated perforations 5580' to 5600' with 500 gallons HCL acid and 3500 gallons CRA acid. Treating pressure 2200 to 1200 PSI with an average injection rate of 2.5 barrels per minute. Pulled tubing with packer and retrievable bridge plug. Ran 2-3/8" plastic lined tubing with injection packer and set packer at 5560'. Installed injection wellhead, connected well to water injection line and commenced water injection. On 24 hour test ending 7:00 AM, 12-19-64 injected 360 barrels of water with injection tubing pressure of 360 PSI.

18. I hereby certify that the foregoing is true and correct

SIGNED C. P. FarmerTITLE District Superintendent DATE 1-22-65

(This space for Federal or State office use)

APPROVED BY _____

TITLE _____

DATE _____

CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

I-149-IND-8838

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Navajo

7. UNIT AGREEMENT NAME

Aneth Unit

8. FARM OR LEASE NAME

9. WELL NO.

F425

10. FIELD AND POOL, OR WILDCAT

Aneth

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

25, T40S, R24E, SLM

12. COUNTY OR PARISH

San Juan

13. STATE

Utah

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1.

OIL
WELL ☐GAS
WELL ☐

OTHER

Water Injection

2. NAME OF OPERATOR

TEXACO Inc.

3. ADDRESS OF OPERATOR

Box 810, Farmington, New Mexico 87401

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)

At surface

795' from South line and 1960' from West line

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4791' DF

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☒PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON* ☐CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☐(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any
proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones perti-
nent to this work.)*Proposed workover is to restore water injection into Subzone II of
the Desert Creek formation.

Procedure for remedial work will be as follows:

Run tubing with mill and mill over stuck 4-1/2" packer and bridge
plug at 5670' and push to bottom of hole. Set retainer packer at
5550'. Run 2-3/8" plastic lined tubing, set in packer and commence
water injection.

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE District Superintendent DATE 9/5/66

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

I-149-IND-8838

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Navajo

7. UNIT AGREEMENT NAME

Aneth Unit

8. FARM OR LEASE NAME

9. WELL NO.

R425

10. FIELD AND POOL, OR WILDCAT

Aneth

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

25, T40S, R24E, SLM

12. COUNTY OR PARISH

San Juan

13. STATE

Utah

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1.

OIL WELL ☐ GAS WELL ☐ OTHER

Water injection

2. NAME OF OPERATOR

TEXACO Inc.

3. ADDRESS OF OPERATOR

P. O. Box 810, Farmington, New Mexico 87401

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)

At surface

795' from South line and 1960' from West line

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4791' DF

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

(Other) ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

ABANDON* ☐

CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐

FRACTURE TREATMENT ☐

SHOOTING OR ACIDIZING ☐

(Other) ☐

REPAIRING WELL ☒

ALTERING CASING ☐

ABANDONMENT* ☐

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Reason for workover was to restore water injection into Subzone II of the Desert Creek formation.

Moved in pulling unit and commenced workover on 10-3-66. Fished out packer at 5550'. Ran drill pipe with washover shoe, milled over bridge plug at 5670' and pushed bridge plug to bottom of hole (5795'). Ran plastic lined tubing with injection packer and set packer at 5563'. Returned well to injection status. Injected 5040 barrels of water into well on 24 hour test ending 1:00 PM, 10-15-66.

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

District Superintendent

DATE

11/29/66

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

I-149-IND-8838

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Navajo

7. UNIT AGREEMENT NAME

Aneth Unit

8. FARM OR LEASE NAME

9. WELL NO.

F425

10. FIELD AND POOL, OR WILDCAT

Aneth

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

25, T40S, R24E, SLM

1.

OIL
WELL ☐GAS
WELL ☐

OTHER

Water Injection

2. NAME OF OPERATOR

TEXACO Inc.

3. ADDRESS OF OPERATOR

Box 810, Farmington, New Mexico 87401

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4791' DF

12. COUNTY OR PARISH

San Juan

13. STATE

Utah

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON* ☐CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☒(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☐(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)


17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Reason for remedial work was to increase injectivity. Moved in pulling unit and commenced workover on 2/27/68. Pulled tubing and drilled out packer at 5563' with sand line drill. Tested perforations 5562 to 5565', no communications. Tested perforations 55624' to 55650' and found communications with upper perforations. Flushed perforations 5580' to 5600'. Set bridge plug at 5670' and packer at 5656'. Treated perforations 5562' to 5565' with 1000 gallons of 28% NE-HCL acid and flushed with 2000 gallons of fresh water. Treating pressure 2250 psi with an average injection rate of 4 barrels per minute. Moved bridge plug to 5660' and packer to 5540'. Treated perforations 5580' to 5600' and 5624' to 5650' in two stages with 4000 gallons NE-HCL acid and 8000 gallons flush water each stage with 500 gallon salt plug after first stage. Treating pressure 4000 psi with an average injection rate of 4 barrels per minute. Set bridge plug at 5670' (PSTD), ran plastic coated tubing and set packer @ 5537'.

Returned well to injection. Injected 6650 barrels into well on 24 hour test ending 3/27/68 with an injection tubing pressure of 565 psi.

18. I hereby certify that the foregoing is true and correct

SIGNED



TITLE

District Superintendent

DATE

July 1, 1968

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

I-149-IND-8838.

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Navajo

7. UNIT AGREEMENT NAME

Aneth Unit

8. FARM OR LEASE NAME

9. WELL NO.

F-425

10. FIELD AND POOL, OR WILDCAT

Aneth

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

25-40S-24E-SLM

12. COUNTY OR PARISH

San Juan

13. STATE

Utah

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1.

OIL WELL ☐ GAS WELL ☐ OTHER ☒

Water Injection

2. NAME OF OPERATOR

TEXACO Inc. - Prod. Dept. - Rocky Mtns. - U.S.

3. ADDRESS OF OPERATOR

Box 810, Farmington, New Mexico 87401

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface

795 f/So and 1960f/W

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4791

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

(Other) ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

ABANDON* ☐

CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐

FRACTURE TREATMENT ☐

SHOOTING OR ACIDIZING ☒

(Other) ☐

REPAIRING WELL ☐

ALTERING CASING ☐

ABANDONMENT* ☐

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Acidized w/750 gal. 15% reg. acid w/L-41 and flush w/880 gal. injection water via tubing. Max. press. 2600, min. 2400 @ 1.2 BPM. Flush @ 1.5 BPM, 3000 psi, 2800 min. SIP 2700. Inj. rate before - zero. After 500 @ 2025 work completed 6-16-71.

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

District Superintendent

DATE

8-12-71

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

USGS(3)-OGOC(2)-Nav. Tribe-HHB-WLW-GLE-Superior (Cortez)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

6.33.2 (W)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

I-149-IND-8838

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Navajo

7. UNIT AGREEMENT NAME

Aneth Unit

8. FARM OR LEASE NAME

9. WELL NO.

P-425

10. FIELD AND POOL, OR WILDCAT

Aneth

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

25-40S-24E-SLM

12. COUNTY OR PARISH

San Juan

13. STATE

Utah

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1.

OIL
WELL ☐GAS
WELL ☐

OTHER

Water Injection

2. NAME OF OPERATOR

TEXACO Inc. - Prod. Dept. - Rocky Mtns. - U.S.

3. ADDRESS OF OPERATOR

Box 810, Farmington, New Mexico 87401

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4791 DF

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☒ABANDON* ☐CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☐(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Propose to remove bridge plug and commence injection into zone II. in the "A" area. The bridge plug was set to isolate injection into zone I as a temporary measure pending stabilization and running of a profile survey. Lack of sufficient water volume to inject into both zones required leaving the bridge plug in place. With the water injection plant expansion, sufficient water is now available to inject into both zones and the bridge plug will be removed and a packer set @ 5540.

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

District Superintendent

DATE

10-6-71

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

USGS(3)OGCC(2)Nav. Tribe-HHB-WLW-GLB-Superior (Cortez)

SLC

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

6.33.2 (W)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> Water Injection	5. LEASE DESIGNATION AND SERIAL NO. T-149-IND-8838
2. NAME OF OPERATOR TEXACO Inc. - Prod. Dept. - Rocky Mtns.	6. IF INDIAN, ALLOTTEE OR TRIBE NAME Navajo
3. ADDRESS OF OPERATOR Box 810, Farmington, New Mexico 87401	7. UNIT AGREEMENT NAME Aneth Unit
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 795 f/So. and 1960 f/w.	8. FARM OR LEASE NAME Aneth
14. PERMIT NO.	9. WELL NO. F-425
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4791	10. FIELD AND POOL, OR WILDCAT Aneth
	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA 25-40S-24E-S1M
	12. COUNTY OR PARISH San Juan
	13. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON* ☐CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☐REPAIRING WELL ☒ALTERING CASING ☐ABANDONMENT* ☐

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

9-25-71 - RUPU - Released Baker 2-3/8" x 4-1/2" full bore packer and tagged CIBP, and pulled tbgr. and pkr. Drilled out CIBP and chased to 5824 (New PBD). Ran 2-3/8" plastic coated inside 8R EUE tbgr w/lok set Model A pkr and landed @ 5539. Placed well on injection 9-27. Inj. rate 6000 BWPD @ 2000 psi successful NRTWO.

18. I hereby certify that the foregoing is true and correct

SIGNED *J. H. Eaton*TITLE Dist. SuperintendentDATE 10-26-72

(This space for Federal or State office use)

APPROVED BY _____

TITLE _____

DATE _____

CONDITIONS OF APPROVAL, IF ANY: _____

*See Instructions on Reverse Side

USGS(3)OGCC(2)Navajo Tribe-HHB-GLE-WLW-Superior
Farm SAC Cortez

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

I-149-IND-8838

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Navajo

7. UNIT AGREEMENT NAME

Aneth Unit

8. FARM OR LEASE NAME

9. WELL NO.

F-425

10. FIELD AND POOL, OR WILDCAT

Aneth

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

25-40S-24E-SLM

12. COUNTY OR PARISH 13. STATE

San Juan

Utah

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1.

OIL WELL ☐ GAS WELL ☐ OTHER

Water Injection

2. NAME OF OPERATOR

TEXACO Inc.-Prod. West U.S.

3. ADDRESS OF OPERATOR

P.O. Box EE, Cortez, Colo. 81321

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)
At surface

795 f/So. and 1960 f/W.

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, etc.)

4791 DF

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

☐
☐
☐
☐
☐

PULL OR ALTER CASING

☐
☐
☐
☐
☐

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

☐
☐
☐
☒
☐

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1-20-77. Bled well to pit. Rigged up pump truck, acidized with 3000 gals. 28% DAD in two stages. Ave. inj. rate 2.5, Ave. psi 2522, ISIP 2200, 15 min. 1800. Injected 10 gals. M76 biocide. Returned well to injection. R/A tracer survey will be run after injection has stabilized. Test Before: 800 BWIPD, 2000# tbg. psi. Test After: 3100 BWIPD, 1800# tbg. psi.

18. I hereby certify that the foregoing is true and correct

SIGNED

Alvin R. Mandy

TITLE

Field Foreman

DATE

1-26-77

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE
(Other instructions on reverse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

I-149-IND.-8838

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Navajo

7. UNIT AGREEMENT NAME

Aneth Unit

8. FARM OR LEASE NAME

9. WELL NO.

F425

10. FIELD AND POOL, OR WILDCAT

Aneth

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

25-40S-24E-S1M

12. COUNTY OR PARISH

San Juan

13. STATE

Utah

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☐ GAS WELL ☐ OTHER ☒ **Water Injection**
2. NAME OF OPERATOR
TEXACO, Inc. Prod. West U.S.
3. ADDRESS OF OPERATOR
P. O. Box EE, Cortez, Colo. 81321
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

795' f/So. and 1960' f/W.

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4791' DF

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

7-22-77, MIRUSU. Acidized zones 5580-5600, 5624-31, 5639-50,

5662-65 with 7500 gals. 28% PAD acid in three stages.

Avg. rate 3.5 BPM, Avg. press. 1650, ISIP-1600, 5 minutes

1575, 10 minutes 1550. Set model R packer at 5535'.

Placed well on injection.

Test Before: 2300 BWIPD, 1700 PSI

Test After: 2400 BWIPD, 1656 PSI

18. I hereby certify that the foregoing is true and correct

SIGNED Alvin R. MayTITLE Field ForemanDATE 8-1-77

(This space for Federal or State office use)

APPROVED BY _____

TITLE _____

DATE _____

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

USGS(4) UOGCC(3) The Navajo Tribe-The Superior Oil Co.-GLE-ARM

CHECKLIST FOR INJECTION WELL APPLICATION AND FILE REVIEW

Operator: Waco Well No. North Unit F425
 County: San Juan T 40S R 24E Sec. 25 API# 43-037-16301
 New Well ☐ Conversion ☐ Disposal Well ☐ Enhanced Recovery Well ☒

	YES	NO
UIC Forms Completed	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Plat including Surface Owners. Leaseholders, and wells of available record	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Schematic Diagram	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fracture Information	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Pressure and Rate Control	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Adequate Geologic Information	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fluid Source	<u>North Unit F425</u>	

Analysis of Injection Fluid	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	TDS <u>81385</u>
Analysis of Water in Formation to be injected into	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	TDS <u>81385</u>

Known USDW in area	<u>None</u>	Depth <u>1178</u>
Number of wells in area of review	<u>11</u>	Prod. <u>8</u> P&A <u> </u>
	Water <u> </u>	Inj. <u>3</u>

Aquifer Exemption	Yes <input type="checkbox"/> NA <input checked="" type="checkbox"/>
-------------------	---

Mechanical Integrity Test	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
---------------------------	---

Date 7-19-84 Type Gradient

Comments: TOC 4420

Reviewed by:

FORM NO. DOGM-UIC-1

STATE OF UTAH
DIVISION OF OIL, GAS, AND MINING
ROOM 4241 STATE OFFICE BUILDING
SALT LAKE CITY, UTAH 84114
(801) 533-5771
(RULE 1-5)

IN THE MATTER OF THE APPLICATION OF
Texaco Inc.

ADDRESS P. O. Box EE
Cortez, Colorado ZIP 81321
INDIVIDUAL ☐ PARTNERSHIP ☐ CORPORATION ☒
FOR ADMINISTRATIVE APPROVAL TO DISPOSE OR
INJECT FLUID INTO THE Aneth Unit F425 WELL
SEC. 25 TWP. 40S RANGE 24E
San Juan COUNTY, UTAH

CAUSE NO. _____

ENHANCED RECOVERY INJ. WELL
DISPOSAL WELL

APPLICATION

Comes now the applicant and shows the Division the following:

1. That Rule 1-5 (b) 6 authorizes administrative approval of enhanced recovery injections or disposal operations.
2. That the applicant submits the following information.

Lease Name <u>Aneth Unit</u>	Well No. <u>F425</u>	Field <u>Aneth</u>	County <u>San Juan</u>
Location of Enhanced Recovery Injection or Disposal Well <u>SE 1/4 SW 1/4</u> Sec. <u>25</u> Twp. <u>40S</u> Rge. <u>24E</u>			
New Well To Be Drilled Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Old Well To Be Converted Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Casing Test Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date <u>9-1-83</u>	
Depth-Base Lowest Known Fresh Water Within 1/2 Mile <u>1178'</u>	Does Injection Zone Contain Oil-Gas-Fresh Water Within 1/2 Mile YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>		State What <u>Oil & Gas</u>
Location of <u>Aneth Unit Producing</u> Injection Source(s) wells & <u>San Juan River</u>		Geologic Name(s) <u>Desert Creek & Ismay</u> and Depth of Source(s) <u>+/- 5600'</u>	
Geologic Name of Injection Zone <u>Paradox: Desert Creek</u>		Depth of Injection Interval <u>5580</u> to <u>5734</u>	
a. Top of the Perforated Interval: <u>5580</u>	b. Base of Fresh Water: <u>1178'</u>	c. Intervening Thickness (a minus b) <u>4402'</u>	
Is the intervening thickness sufficient to show fresh water will be protected without additional data? (YES) <input checked="" type="checkbox"/> NO <input type="checkbox"/>			
Lithology of Intervening Zones <u>Sandstone, limestone & anhydrite w/intermittent shale layers</u>			
Injection Rates and Pressures Maximum <u>2,000</u> B/D <u>2,500</u> PSI			
The Names and Addresses of Those To Whom Copies of This Application and Attachments Have Been Sent <u>The Navajo Tribe</u> <u>Box 146</u> <u>Window Rock, Arizona 86515</u>			

State of Colorado

County of Montezuma

Alvin R. Marx Field Supt.
Applicant

Before me, the undersigned authority, on this day personally appeared Alvin R. Marx
known to me to be the person whose name is subscribed to the above instrument, who being by me duly sworn on oath states, that he is duly
authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct.

Subscribed and sworn to before me this 16th day of Dec., 19 83

SEA:

My commission expires 10/25/87

Joe D. Roybal
Notary Public in and for Colorado
728 N. Beech, Cortez, Co. 81321

(OVER)


INSTRUCTIONS

1. Attach qualitative and quantitative analysis of fresh water from 2 or more producing wells within 1 mile of injection well showing location of wells and date samples were taken, or statement as to why samples were not submitted.
2. Attach qualitative and quantitative analysis of representative sample of water to be injected.
3. Attach plat showing subject well and all known oil and gas wells, abandoned, drilling and dry holes within ½ mile, together and with name of operator.
4. Attach Drillers Log (Form DOGM-UIC-2). (Appropriate Surety must be on file with Conservation Division.)
5. Attach Electric or Radioactivity Log of Subject well (if released).
6. Attach schematic drawing of subsurface facilities including; Size, setting depth, amount of cement used measured or calculated tops of cement surface, intermediate (if any) and production casings; size and setting depth of tubing; type and setting depth of packer; geologic name of injection zone showing top and bottom of injection interval.
7. The original and 6 copies of application, and one complete set of attachments shall be mailed to the Division.
8. Deliver 1 copy of application to landowner on whose land injection well is located and to each operator of a producing leasehold within ½ mile of injection well.
9. Affidavit of mailing or delivery shall be filed not later than five days after the application is filed.
10. Notice that an application has been filed shall be published by the Division in a newspaper of general circulation in the county in which the well is located. The Division shall file proof of publication before the application is approved. The notice shall include name and address of applicant, location of proposed injection or disposal well, injection zone, injection pressure and volume. If no written objection is received within 15 days from date of publication the application will be approved administratively.
11. A well shall not be used for injection or disposal unless completed machine accounting Form DOGM-UIC-3b is filed September 1st, each year.
12. Approval of this application, if granted, is valid only as long as there is no substantial change in the operations set forth in the application. A substantial operation change requires the approval of a new application.
13. If there is less intervening thickness required by Rule I-5 (b) 4 attach sworn evidence and data.

CASING AND TUBING DATA

NAME OF STRING	SIZE	SETTING DEPTH	SACKS CEMENT	TOP OF CEMENT	TOP DETERMINED BY
Surface	8 $\frac{5}{8}$ "	1515'	1050	Surface	Cement Circulated
Intermediate					
Production	4 $\frac{1}{2}$ "	5824'	250	4420'	Calculated
Tubing	2 $\frac{3}{8}$ "	5531'	Name - Type - Depth of Tubing Packer Baker - 4 $\frac{1}{2}$ Model R double grip - 5531'		
Total Depth 5825'	Geologic Name - Inj. Zone Desert Creek		Depth - Top of Inj. Interval 5580'		Depth - Base of Inj. Interval 5734'

SKETCH - SUBSURFACE FACILITY



PLEASE TYPE OR USE BLACK INK ONLY


(To be filed within 30 days after drilling is completed) I-149-IND-8838

DEPARTMENT OF NATURAL RESOURCES AND ENERGY

COUNTY
LEASE NO.

API NO

948 Acres
10



Lease Well Correlate
and Outline Lease

DIVISION OF OIL, GAS, AND MINING
Room 4241 State Office Building
Salt Lake City, Utah 84114

COUNTY San Juan SEC. 25 TWP. 40S RGE. 24E
COMPANY OPERATING Texaco Inc.
OFFICE ADDRESS P O Box EE
TOWN Cortez STATE ZIP Colo 81321
FARM NAME Aneth Unit WELL NO. F425
DRILLING STARTED 3-25 19 58 DRILLING FINISHED 4-11 19 58
DATE OF FIRST PRODUCTION 4-14-58 COMPLETED 4-14-58
WELL LOCATED NW $\frac{1}{4}$ SE $\frac{1}{4}$ SW $\frac{1}{4}$
795 FT. FROM SE OF $\frac{1}{4}$ SEC. & 1960 FT. FROM WL OF $\frac{1}{4}$ SEC.
ELEVATION DERRICK FLOOR 4791' GROUND 4781'

TYPE COMPLETION

Single Zone Desert Creek Order No. _____

Multiple Zone _____ Order No. _____

Completed _____ Order No. _____

LOCATION EXCEPTION

Order No. _____ Penalty _____

OIL OR GAS ZONES

Name	From	To	Name	From	To
<u>Desert Creek</u>	<u>5580</u>	<u>5761</u>			

CASING & CEMENT

Casing Set				Cement			
Size	Wgt	Grade	Feet	Pol	Sex	Fillup	Top
<u>8 5/8"</u>	<u>24 #4</u>	<u>NA</u>	<u>1515'</u>	<u>800</u>	<u>1050</u>	<u>-</u>	<u>Surface</u>
<u>4 1/2"</u>	<u>9.5 #4</u>	<u>NA</u>	<u>5824'</u>	<u>1000</u>	<u>250</u>	<u>-</u>	<u>4420'</u>

TOTAL DEPTH 5825'

PACKERS SET
SPH 5531' KB

COMPLETION & TEST DATA BY PRODUCING FORMATION

FORMATION	Desert Creek	Desert Creek	
SPACING & SPACING ORDER NO.	40 acre	40 acre	
CLASSIFICATION (Oil; Gas; Dry; Inj. Well)	<u>Oil</u>	<u>Inj</u>	
PERFORATED	<u>5580'-5600', 5624-31</u>	<u>5722-34</u>	
INTERVALS	<u>5639-50, 5662-65</u>		
	<u>5676-95, 5699-9715</u>		
ACIDIZED?	<u>Acidized w/8000 gal 15% acid and 1000 gal fix-a-frac</u>	<u>Acidized w/500 gal non-emulsified low surface tension acid</u>	
FRACTURE TREATED?	<u>No</u>	<u>No</u>	

INITIAL TEST DATA

Date	<u>4-14-58</u>	<u>4-24-63</u>	
Oil, bbl./day	<u>1800</u>	<u>-</u>	
Oil Gravity	<u>39.2</u>	<u>-</u>	
Gas, Cu. Ft./day	<u>NA</u>	<u>-</u>	
Gas-Oil Ratio Cu. Ft./Bbl.	<u>NA</u>	<u>-</u>	
Water-Bbl./day	<u>0</u>	<u>6437 BWIP (5580-5734)</u>	
Pumping or Flowing	<u>Flowing</u>	<u>Injecting</u>	
CHOKE SIZE	<u>NA</u>	<u>NA</u>	
FLOW TUBING PRESSURE	<u>NA</u>	<u>NA</u>	

A record of the formations drilled through, and pertinent remarks are presented on the reverse.
(use reverse side)

I, the undersigned, being first duly sworn upon oath, state that this well record is true, correct and complete according to the records of this office and to the best of my knowledge and belief.

Telephone Y-303-565-8401

STATE OF Colorado

COUNTY OF Montezuma

Subscribed and sworn before me this 16th day of December, 19 83

My Commission Expires 10/25/87


John R. Mann

Name and title of representative of company

Joe D. Raybal

728 N. Beech, Cortez, Co. 81321

Field Supt.



T-405-R24E
San Juan, County Utah

T-405-R25E
San Juan County, Utah

WEST - D - EAST

A

B

G

C

TEXACO

☐ INSTRUCTIONS - CANCELS LETTER(S) OF

SIGNED BY

☐ PERMANENT☐ ROUTINE☐ TEMPORARY

(LOCATION)

(DATE)

19

Subject: Water Analysis from
Navajo Aquifer

Aneth Unit H415

Location - SE 1/4 - SE 1/4 Sec 15, T40S, R24E

Sample Date - 1-17-59

Depth - Navajo Aquifer

Temp - 67°F

Ph - 8.7

Total Dissolved Solids - 2573 ppm

SiO₂ - 16 ppmCO₃⁼ - 130 ppmCa⁺⁺ - 7 ppmHCO₃⁻ - 156 ppmMg⁺⁺ - 28 ppmSO₄⁼ - 599 ppmNa⁺ - 76 ppmCl⁻ - 757 ppm

Aneth Unit G422

Location - SW 1/4 - SE 1/4 Sec 22, T40S, R24E

Sample Date - 1-18-59

Depth - Navajo Aquifer

Temp - 67°F

Ph - 9.2

Total Dissolved Solids - 2823 ppm

SiO₂ - 17 ppmCO₃⁼ - 925 ppmCa⁺⁺ - 6 ppmHCO₃⁻ - 912 ppmMg⁺⁺ - 8 ppmSO₄⁼ - 265 ppmNa⁺ - 915 ppmCl⁻ - 271 ppm* Note: these numbers were obtained from Texaco Files
in the Denver Division offices

If letter requires reply prepare in triplicate, forwarding original and duplicate, and retain copy.

P.O. Box 2100

Denver, Colo

80201 By


NL Treating Chemicals/NL Industries, Inc.

P.O. Box 1675, Houston, Texas 77001

WATER ANALYSIS REPORT

COMPANY TEXACO, INCORPORATED						SHEET NUMBER 1	
FIELD ANETH						DATE 5 APRIL 1	
COUNTY OR PARISH SAN JUAN						STATE UTAH	
WELL SITE NAME OR NO. INJECTION WATER			WATER SOURCE INFORMATION				
DEPTH, FT.	SAT. P.	SAMPLE SOURCE PLANT	TEMP. F.	WATER, EGL. DAY	OIL, EGL. DAY	GAS, MCF/DAY	
DATE SAMPLED 6 APRIL 1982		TYPE OF WATER					
		<input type="checkbox"/> PRODUCED <input checked="" type="checkbox"/> SUPPLY <input checked="" type="checkbox"/> WATERFLOODED <input type="checkbox"/> SALT WATER					

WATER ANALYSIS PATTERN
(NUMBER REPRESENTS ME/L SCALE UNIT)



DISSOLVED SOLIDS

CATIONS	me/l*	mg/l*
Total Hardness	392.0	
Calcium, Ca ⁺⁺	268.0	5360.0
Magnesium, Mg ⁺⁺	124.0	1519.0
Iron (Total) Fe ⁺⁺⁺	0.5	10.0
Barium, Ba ⁺⁺	—	1.0
Sodium, Na ⁺ (calc.)	1035.1	23807.3
ANIONS		
Chloride, Cl ⁻	1380.3	49100.0
Sulfate, SO ₄ ⁻²	24.5	1175.0
Carbonate, CO ₃ ⁻²	0.0	0.0
Bicarbonate, HCO ₃ ⁻	4.0	244.0
Hydroxyl, OH ⁻	0.0	0.0
Sulfide, S ⁻²	18.8	300.0

DISSOLVED GASES

Hydrogen Sulfide, H ₂ S	337.5	mg/l*
Carbon Dioxide, CO ₂	185.0	mg/l*
Oxygen, O ₂	1.0	mg/l*

PHYSICAL PROPERTIES

pH	6.65
Eh (Redox Potential)	N.D. MV
Specific Gravity	N.D.
Turbidity, JTU Units	N.D.
Total Dissolved Solids (calc.)	81385.3 mg/l*
Stability Index @ 77 F	+0.39
@ 140 F	+1.32
CaSO ₄ Solubility @ 77 F	306.6 me/l*
@ 176 F	306.8 me/l*
Max. CaSO ₄ Possible (calc.)	24.5 me/l*
Max. BaSO ₄ Possible (calc.)	1.0 mg/l*
Residual Hydrocarbons	N.D. ppm(V)

SUSPENDED SOLIDS (QUALITATIVE)

Iron Sulfide ☐ Iron Oxide ☐ Calcium Carbonate ☐ Acid Insoluble ☐

REMARKS AND RECOMMENDATIONS:

WATER SHOWS A TENDENCY TOWARD SCALING; PRIMARILY CALCIUM CARBONATE

* NOTE: me/l and mg/l are commonly used interchangeably for epm and respectively. Where epm and ppm used, corrections should be made specific gravity.

ENGINEER MARK BROTHERS	DIST. NO. 12	ADDRESS CARMINGTON, N.M.	OFFICE PHONE 505-325-5701	HOME PHONE 505-325-
----------------------------------	------------------------	------------------------------------	-------------------------------------	-------------------------------

UTAH DIVISION OF OIL, GAS AND MINING
CASING-BRADENHEAD TEST

OPERATOR: TEXACO, INC

FIELD: ANETH LEASE: INDIAN

WELL # F425 SESW SEC. 25 TOWNSHIP 40S RANGE 24E

STATE FED. FEE DEPTH 5825 TYPE WELL injection MAX. INJ. PRESS. 3500 PSI

TEST DATE 7/19/84

CASING STRING	SIZE	SET AT	CMT	PRESSURE READINGS	REMARKS	FUTURE
<u>SURFACE</u>	<u>8 5/8"</u>	<u>1515</u>	<u>1050</u>	<u>OPSI</u>		
<u>INTERMEDIATE</u>						
<u>PRODUCTION</u>	<u>4 1/2"</u>	<u>5834</u>	<u>250</u>	<u>OPSI</u>		
<u>TUBING</u>	<u>2 3/8"</u>	<u>5531</u>	<u>PAC</u>	<u>2260 PSI</u>		

REMARKS: Well blew down in one second - no fluids - no problems

Utah Division of Oil, Gas, and Mining
Casing - Bradenhead Test

Operator: TEXACO INC.

Field/Unit: GREATER ANETH

Well: F-425

Township: 40S Range: 24E Sect: 25

API: 43-037-16301

Welltype: INJW Max Pressure: 2500

Lease type: INDIAN

Surface Owner: NAVAJO

Last MIT Date: 07/19/84

Witness: T Test Date: 9-20-87

CASING STRING	SIZE	SET AT	PRESSURE	OBSERVATIONS
---------------	------	--------	----------	--------------

Surface:	8 5/8	1515	0	
----------	-------	------	---	--

Intermediate:		0		
---------------	--	---	--	--

Production:	4 1/2	5824	0	
-------------	-------	------	---	--

Other:		0		
--------	--	---	--	--

Tubing:	2 3/8			
---------	-------	--	--	--

Packer:		5531		
---------	--	------	--	--

1975

RATE @ 550/DAY

Recommendations: OK

TRANSFER OF AUTHORITY TO INJECT - UIC FORM 5

RECEIVED

MAY 28 1991

Well name and number: _____		See Attached Listing	DIVISION OF OIL GAS & MINING
Field or Unit name: _____		API no. _____	
Well location: QQ _____ section _____ township _____ range _____ county _____			
Effective Date of Transfer: <u>6-1-91</u>			
CURRENT OPERATOR			
Transfer approved by:			
Name	<u>R. S. Lane</u>	Company	<u>Texaco Inc.</u>
Signature	<u><i>R. S. Lane</i></u>	Address	<u>P. O. Box 3109</u>
Title	<u>Attorney-in-Fact</u>		<u>Midland, TX 79702</u>
Date	_____	Phone (915)	<u>688-4100</u>
Comments: Correspondence Address: <u>Texaco Inc.</u> <u>3300 North Butler</u> <u>Farmington, NM 87401</u> <u>(505) 325-4397</u>			
NEW OPERATOR			
Transfer approved by:			
Name	<u>R. S. Lane</u>	Company	<u>Texaco Exploration and Production Inc.</u>
Signature	<u><i>R. S. Lane</i></u>	Address	<u>P. O. Box 3109</u>
Title	<u>Attorney-in-Fact</u>		<u>Midland, TX 79702</u>
Date	_____	Phone (915)	<u>688-4100</u>
Comments: Correspondence Address: <u>Texaco Exploration and Production Inc.</u> <u>3300 North Butler</u> <u>Farmington, NM 87401</u> <u>(505) 325-4397</u>			
(State use only)			
Transfer approved by <u><i>Kil. Hunt</i></u>		Title <u><i>UIC Manager</i></u>	
Approval Date <u>6-26-91</u>			



Texaco Exploration and Production Inc
Midland Producing Division

P O Box 3109
Midland TX 79702-3109

May 22, 1991

RECEIVED

MAY 28 1991

DIVISION OF
OIL GAS & MINING

Division of Oil, Gas, and Mining
Attn: Ms. Lisha Romero
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Gentlemen:

This is to advise that as a part of a reorganization of Texaco Inc., a Delaware corporation, the name of Texaco Producing Inc., a Delaware corporation and wholly owned subsidiary of Texaco Inc., has been changed to Texaco Exploration and Production Inc. Further, Texaco Exploration and Production Inc. will succeed to the rights, titles, interests and obligations of Texaco Inc.

This means that Texaco Exploration and Production Inc. will be the operator for all the oil and gas properties that were operated by Texaco Inc. and Texaco Producing Inc. We plan to abbreviate the name as Texaco E & P Inc. for purposes of submitting production reports, etc., via computer, and we suggest that for consistency you use that abbreviation also.

We have enclosed a Sundry Notice with a list of the wells which Texaco operates in Utah. Also attached is UIC Form 5 for transfer of injection authority. Please note that Texaco has two Divisions which operate wells in Utah. One is located in Denver, Colorado, and the other is in Midland, Texas. We have enclosed separate Sundry Notices and lists of wells for each Division. If you have questions concerning the Denver-operated wells, please call Roger Hadley at (303) 793-4833. If you have questions concerning the Midland-operated wells, please call Ken Miller at (915) 688-4834.

Please change any of your other records as necessary to reflect this change.

Yours very truly,

R. S. Lane
Assistant Division Manager

RKH/KMM-CC

Attachments

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

SUBMIT IN TRIPlicate
(Instructions on reverse side)

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" (for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO.
2. NAME OF OPERATOR Texaco Exploration and Production Inc.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR P.O. Box 46510, Denver, CO 80201		7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface		8. FARM OR LEASE NAME
14. PERMIT NO.		9. WELL NO.
15. ELEVATIONS (Show whether OF, ST, GR, etc.)		10. FIELD AND POOL, OR WILDCAT
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
		12. COUNTY OR PARISH 13. STATE

RECEIVED
MAY 28 1991
DIVISION OF
OIL GAS & MINING

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
(Other) Transfer of Plugging Bond <input checked="" type="checkbox"/>	

SUBSEQUENT REPORT OF:

WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
(Other) Transfer of Owner/Operator <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log (form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Texaco Inc. has assigned all its ownership rights in the subject well. As of January 1, 1991, Texaco Inc. is no longer the Operator of subject well. The New Operator Texaco Exploration and Production Inc. hereby accepts operating responsibility and liability under its good and sufficient bond or other security accepted by the Commission for proper plugging and surface restoration of the subject well.

Former Operator:

TEXACO INC.

Signed: [Signature]

Attorney-In-Fact
for Texaco Inc.

Date: 3/1/91

New Operator:

Texaco Exploration and Production Inc.

Signed: [Signature]

Title: Division Manager

Date: 3/1/91

18. I hereby certify that the foregoing is true and correct

SIGNED [Signature]

TITLE Division Manager

DATE 3/1/91

(This space for Federal or State office use)

APPROVED BY _____

TITLE _____

DATE _____

COMMENTS OF APPROVAL, IF ANY: _____

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT— for such proposals

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other (specify)		6. Lease Designation and Serial Number
2. Name of Operator Texaco Exploration and Production Inc.		7. Indian Allottee or Tribe Name
3. Address of Operator 3300 North Butler, Farmington, NM 87401	4. Telephone Number (505) 325-4397	8. Unit or Communitization Agreement
5. Location of Well Footage : QQ, Sec. T., R., M. : See Attached		9. Well Name and Number
County : State : UTAH		10. API Well Number
11. Field and Pool, or Wildcat		

12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA																											
NOTICE OF INTENT (Submit in Duplicate) <table style="width: 100%;"> <tr> <td><input type="checkbox"/> Abandonment</td> <td><input type="checkbox"/> New Construction</td> </tr> <tr> <td><input type="checkbox"/> Casing Repair</td> <td><input type="checkbox"/> Pull or Alter Casing</td> </tr> <tr> <td><input type="checkbox"/> Change of Plans</td> <td><input type="checkbox"/> Recompletion</td> </tr> <tr> <td><input type="checkbox"/> Conversion to Injection</td> <td><input type="checkbox"/> Shoot or Acidize</td> </tr> <tr> <td><input type="checkbox"/> Fracture Treat</td> <td><input type="checkbox"/> Vent or Flare</td> </tr> <tr> <td><input type="checkbox"/> Multiple Completion</td> <td><input type="checkbox"/> Water Shut-Off</td> </tr> <tr> <td><input checked="" type="checkbox"/> Other <u>Transfer of Plugging Bond</u></td> <td></td> </tr> </table> Approximate Date Work Will Start _____	<input type="checkbox"/> Abandonment	<input type="checkbox"/> New Construction	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing	<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Recompletion	<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Shoot or Acidize	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Vent or Flare	<input type="checkbox"/> Multiple Completion	<input type="checkbox"/> Water Shut-Off	<input checked="" type="checkbox"/> Other <u>Transfer of Plugging Bond</u>		SUBSEQUENT REPORT (Submit Original Form Only) <table style="width: 100%;"> <tr> <td><input type="checkbox"/> Abandonment *</td> <td><input type="checkbox"/> New Construction</td> </tr> <tr> <td><input type="checkbox"/> Casing Repair</td> <td><input type="checkbox"/> Pull or Alter Casing</td> </tr> <tr> <td><input type="checkbox"/> Change of Plans</td> <td><input type="checkbox"/> Shoot or Acidize</td> </tr> <tr> <td><input type="checkbox"/> Conversion to Injection</td> <td><input type="checkbox"/> Vent or Flare</td> </tr> <tr> <td><input type="checkbox"/> Fracture Treat</td> <td><input type="checkbox"/> Water Shut-Off</td> </tr> <tr> <td><input checked="" type="checkbox"/> Other <u>Change of Operator/Operator Name</u></td> <td></td> </tr> </table> Date of Work Completion _____	<input type="checkbox"/> Abandonment *	<input type="checkbox"/> New Construction	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing	<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Shoot or Acidize	<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Vent or Flare	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Water Shut-Off	<input checked="" type="checkbox"/> Other <u>Change of Operator/Operator Name</u>	
<input type="checkbox"/> Abandonment	<input type="checkbox"/> New Construction																										
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing																										
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Recompletion																										
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Shoot or Acidize																										
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Vent or Flare																										
<input type="checkbox"/> Multiple Completion	<input type="checkbox"/> Water Shut-Off																										
<input checked="" type="checkbox"/> Other <u>Transfer of Plugging Bond</u>																											
<input type="checkbox"/> Abandonment *	<input type="checkbox"/> New Construction																										
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing																										
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Shoot or Acidize																										
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Vent or Flare																										
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Water Shut-Off																										
<input checked="" type="checkbox"/> Other <u>Change of Operator/Operator Name</u>																											

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.
* Must be accompanied by a cement verification report.

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

This submittal is for a change of operator (name change) for all of the attached wells. The new operator, Texaco Exploration and Production Inc., hereby accepts operating responsibility and liability under its good and sufficient bond or other security accepted by the Department for proper plugging and surface restoration of the attached wells. All contact personnel, office addresses and phone numbers will remain the same.

FORMER OPERATOR: TEXACO INC.

NEW OPERATOR: TEXACO EXPLORATION AND PRODUCTION INC.

SIGNED: *R. L. Lane*
 Attorney-in-Fact

SIGNED: *R. L. Lane*
 Assistant Division Manager

DATE: _____

DATE: _____

14. I hereby certify that the foregoing is true and correct

Name & Signature _____

Title Asst. Div. Manager Date _____

(State Use Only)

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

Routing:

1- LCR/GIL	<input checked="" type="checkbox"/>
2- DTS	<input checked="" type="checkbox"/>
3- VLC	<input checked="" type="checkbox"/>
4- RJF	<input checked="" type="checkbox"/>
5- RWM	<input checked="" type="checkbox"/>
6- LCR	<input checked="" type="checkbox"/>

Attach all documentation received by the division regarding this change.
Initial each listed item when completed. Write N/A if item is not applicable.

☐ Change of Operator (well sold) ☐ Designation of Agent
☐ Designation of Operator ☒ Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 1-1-91)

(TEXACO EXPLORATION AND PRODUCTION INC.)

TO (new operator) <u>TEXACO E & P INC.</u>	FROM (former operator) <u>TEXACO INC.</u>
(address) <u>3300 NORTH BUTLER</u>	(address) <u>3300 NORTH BUTLER</u>
<u>FARMINGTON, NM 87401</u>	<u>FARMINGTON, NM 87401</u>
<u>BRENT HELQUIST</u>	<u>FRANK</u>
phone <u>(505) 325-4397</u>	phone <u>(505) 325-4397</u>
account no. <u>N 5700 (6-5-91)</u>	account no. <u>N 0980</u>

Well(s) (attach additional page if needed):

Name: <u>(SEE ATTACHED)</u>	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

- for 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). (5-28-91)
- N/A 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form).
- for 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes) no) ____ If yes, show company file number: #114097.
- for 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below.
- for 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (6-11-91)
- for 6. Cardex file has been updated for each well listed above.
- for 7. Well file labels have been updated for each well listed above. (will update when filing)
- for 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission.
- for 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond. #K0290791-4 80,000-Ins. Co. of N. America rec. 2-11-91.
2. A copy of this form has been placed in the new and former operators' bond files.
3. The former operator has requested a release of liability from their bond (yes/no) yes. Today's date _____ 19____. If yes, division response was made by letter dated _____ 19____. #m157448 80,000-Ins. Co. of N. America

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated _____ 19____, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
2. Copies of documents have been sent to State Lands for changes involving State leases. 6-27-91

CLIPPING

1. All attachments to this form have been microfilmed. Date: July 15 1991.

CLIPPING

1. Copies of all attachments to this form have been filed in each well file.
2. The original of this form and the original attachments have been filed in the Operator Change file.

REMARKS

- 910606 Btm/Farmington N.M. - Duane Spencer (505) 327-5344 will follow up & call back.
- 910607 Btm/Farmington - Approved 4-2-91 "Company Merger" Includes Aneth Unit and Ismay Flodine Unit.
- 910607 St. Lands approved 4-15-91 "merger".

DATE: 05/02/91

WELLS BY OPERATOR

PAGE: 97

ACCT NUM	COMPANY NAME	FLD NUM	FIELD NAME	TOWN SHIP	RANGE	SEC	QTR QTR	API NUMBER	PROD ZONE	WELL STATUS	ENTITY	WELL NAME	
NO980	TEXACO INC	365	GREATER ANETH	S400	E240	24	NWSE	4303716111	PRDX	WIW	99990	NAVAJO TRIBE C-15 (ANETH	
				S400	E240	24	SESE	4303716331	PRDX	WIW	99990	NAVAJO TRIBE C-28 (ANETH	
				S400	E240	24	SENE	4303716315	DSCR	PA	99998	NAVAJO TRIBE C-26 (ANETH	
				S400	E240	25	SENE	4303716124	PRDX	WIW	99990	NAVAJO TRIBE C-11 (ANETH	
				S400	E240	25	SESW	4303716301	PRDX	WIW	99990	NAVAJO TRIBE C-32 (ANETH	
				S400	E240	25	SESE	4303716129	PRDX	WIW	99990	NAVAJO TRIBE C-24 (ANETH	
				S400	E240	25	NWNW	4303716053	PRDX	WIW	99990	NAVAJO TRIBE C-14 (ANETH	
				S400	E240	25	NWSW	4303716070	PRDX	WIW	99990	NAVAJO TRIBE C-21 (ANETH	
				S400	E240	25	NWNE	4303716095	HRMS	WIW	99990	NAVAJO TRIBE C-6 (ANETH	
				S400	E240	26	SENE	4303716290	PRDX	WIW	99990	NAVAJO TRIBE C-23 (ANETH	
				S400	E240	26	SESW	4303716302	PRDX	WIW	99990	NAVAJO TRIBE C-4 (ANETH	
				S400	E240	26	NWNW	4303716054	PRDX	WIW	99990	NAVAJO TRIBE C-29 (ANETH	
				S400	E240	26	NWNE	4303730372	DSCR	WIW	99990	ANETH G-126X	
				S400	E240	26	SESE	4303716332	PRDX	WIW	99990	NAVAJO TRIBE C-31 (ANETH	
				S400	E240	26	NWSE	4303716113	PRDX	WIW	99990	NAVAJO TRIBE C-27 (ANETH	
				S400	E240	26	SENE	4303716316	PRDX	WIW	99990	NAVAJO TRIBE C-19 (ANETH	
				S400	E240	27	SESE	4303716333	PRDX	WIW	99990	ANETH 27-D-4 (ANETH H-427	
				S400	E240	27	NWNW	4303716782	PRDX	WIW	99990	ANETH 27-A-1 (ANETH E-127	
				S400	E240	27	SENE	4303716317	PRDX	WIW	99990	ANETH 27-D2 (ANETH H-227)	
				S400	E240	27	NWNE	4303716307	PRDX	WIW	99990	ANETH 27-C-1 (ANETH G-127	
				S400	E240	28	SENE	4303716228	PRDX	WIW	99990	ANETH H-228	
				S400	E240	28	SENE	4303716291	PRDX	WIW	99990	ANETH A-28-B-2 (ANETH F-2	
	380	ISMAY		S400	E260	16	NESW	4303716462	PRDX	WIW	99990	STATE WOOLLEY #4 (T-316)	
				S400	E260	17	NENW	4303716456	ISMAY	WIW	99990	NAVAJO TRIBE J-23 (T-117)	
				S400	E260	17	NESW	4303716463	HRMS	WIW	99990	NAVAJO TRIBE J-10 (T-317)	
				S400	E260	17	NENE	4303716188	HRMS	WIW	99990	NAVAJO TRIBE J-5 (V-117)	
				S400	E260	17	NESE	4303716192	HRMS	WIW	99990	NAVAJO TRIBE J-2 (V-317)	
				S400	E260	18	NENW	4303716457	ISMAY	WIW	99990	NAVAJO TRIBE K-3 (T-118)	
				S400	E260	19	NENW	4303716458	ISMAY	WIW	99990	NAVAJO TRIBE K-9 (T-119)	
				S400	E260	21	NENE	4303716191	ISMAY	WIW	99990	NAVAJO TRIBE J-7 (V-121)	
				S400	E260	21	NENW	4303716460	HRMS	WIW	99990	NAVAJO TRIBE J-4 (T-121)	
				S400	E260	21	SWSE	4303711267	ISMAY	WIW	99990	NAVAJO TRIBE J-24 (U-421)	
				S400	E260	21	NESE	4303716194	ISMAY	WIW	99990	NAVAJO TRIBE J-19 (V-321)	
				S400	E260	22	NENW	4303716461	ISMAY	PA	99998	NAVAJO TRIBE J-20 (T-122)	
				S400	E260	27	NENW	4303716232	PRDX	PA	99998	EAST ANETH 27-B1 (T-127)	
				S400	E260	27	NESW	4303716233	PRDX	WIW	99990	EAST ANETH 27-B3 (T-327)	
				S400	E260	28	NENE	4303716466	PRDX	PA	99998	EAST ANETH 28-D1 (V-128)	
	365	GREATER ANETH		S400	E230	12	NWSE	4303730112	DSCR	WIW	99990	ANETH UNIT C-312	
				S400	E230	12	NESW	4303716272	DSCR	WIW	99990	BURTON 23-12 (ANETH B312)	
				S400	E230	12	NWNE	4303716274	DSCR	WIW	99990	BURTON 31-12 (ANETH C-112)	
				S400	E230	13	NWSW	4303730299	DSCR	WIW	99990	ANETH UNIT A-313	
				S400	E230	13	SENE	4303715825	IS-DC	WIW	99990	BURTON 22-13 (ANETH B-213)	
				S400	E230	13	NWNW	4303730119	DSCR	WIW	99990	ANETH UNIT A-113	
				S400	E230	13	NWNE	4303715827	IS-DC	WIW	99990	BURTON 31-13 (ANETH C-113)	
				S400	E230	13	NWSE	4303715828	PRDX	WIW	99990	BURTON 33-13 (ANETH C-313)	
				S400	E230	13	SESW	4303730297	DSCR	WIW	99990	ANETH B-413	
				S400	E230	13	SESE	4303716279	PRDX	WIW	99990	BURTON 44-13 (ANETH D-413)	



Chevron

Chevron U.S.A. Production Company
Mid-Continent Business Unit
P.O. Box 36366
Houston, TX 77236
Phone 713 754 2000

April 9, 2002

Mr. John Baza,
Associate Director of Oil and Gas
Utah Department of Natural Resources
Division of Oil, Gas & Mining
1594 W. North Temple St., Suite 1210
Salt Lake City, UT 84114-5801

RECEIVED

APR 12 2002

DIVISION OF
OIL, GAS AND MINING

Dear Mr. Baza:

As you may recall from our meeting last year, we planned to combine the assets of Chevron U.S.A. Inc. ("CUSA"), by merger, and Texaco Exploration and Production Inc. ("TEPI"), by assignment, into a new entity which we referred to as "Newco LP". Along the way, additional information came to light and it was decided that this proposed corporate restructure would not be preferable. Therefore, CUSA and TEPI have continued to operate as separate entities.

We are now planning a simpler restructuring process where TEPI will assign most of its assets/operatorship to CUSA effective May 1, 2002. We plan to use the existing CUSA bonds/letters of credit, operator identification numbers, etc., for the TEPI assets that will be assigned.

A task force of Land, Regulatory and Environmental Compliance personnel are finishing the work that was begun last year to assign TEPI's assets—using the same forms and procedures as before. We have "new faces" in this task force due to reassignments and departures. In some cases, it may be worthwhile to visit you and your staff in person where new people are involved or if we need to review/clarify your forms and procedures. Otherwise, we will endeavor to complete the work to assign TEPI's assets/operatorship to CUSA and deliver the requisite materials to you in a timely manner.

During discussions last year, our focus was on Land, Regulatory and Environmental matters. The Finance organization also desires to join in this effort. For State Tax, Royalty and Regulatory reporting purposes (applicable to production from May 2002 through December 2002), we intend to generate two reports and two payments.

However, the reporting company name and identification number will be CUSA's. Beginning with January 2003 production and thereafter, we will issue only one CUSA report and payment. We trust this plan meets with your approval. Any questions or comments should be directed to Rick Dunlavy (telephone 713/752-7411, rickdunlavy@chevrontexaco.com).

We appreciate the cooperation and guidance you provided us in the past, and we look forward to bringing these efforts to a conclusion.

Respectfully submitted,

A handwritten signature in black ink, appearing to read "Don R. Sellars", written in a cursive style.

Don R. Sellars

Sr. Environmental Specialist

Chevron U.S.A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.
Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	11	400S	230E	4303716034	MESA 1 (ANETH C411)	1	I	WI
N5700	12	400S	230E	4303716272	BURTON 23-12 (ANETH B312)	1	A	WI
N5700	12	400S	230E	4303716274	BURTON 31-12 (ANETH C-112)	1	I	WI
N5700	12	400S	230E	4303716278	BURTON 42-12 (ANETH D212)	1	A	WI
N5700	12	400S	230E	4303730049	ANETH UNIT D-412	1	A	WI
N5700	12	400S	230E	4303730112	ANETH UNIT C-312	1	A	WI
N5700	13	400S	230E	4303715825	BURTON 22-13 (ANETH B-213)	1	A	WI
N5700	13	400S	230E	4303715827	BURTON 31-13 (ANETH C-113)	1	A	WI
N5700	13	400S	230E	4303715828	BURTON 33-13 (ANETH C-313)	1	A	WI
N5700	13	400S	230E	4303715830	BURTON 42-13 (D213)	1	A	WI
N5700	13	400S	230E	4303716279	BURTON 44-13 (ANETH D-413)	1	A	WI
N5700	13	400S	230E	4303730119	ANETH UNIT A-113	1	A	WI
N5700	13	400S	230E	4303730174	ANETH UNIT D113	1	A	WI
N5700	13	400S	230E	4303730297	ANETH B-413	1	A	WI
N5700	13	400S	230E	4303730299	ANETH UNIT A-313	1	A	WI
N5700	14	400S	230E	4303716032	ARROWHEAD 6 (ANETH B-114)	1	A	WI
N5700	14	400S	230E	4303716033	ARROWHEAD 3 (ANETH C-214)	1	A	WI
N5700	14	400S	230E	4303716035	ARROWHEAD 5 (ANETH C-414)	1	A	WI
N5700	14	400S	230E	4303716038	ARROWHEAD 4 (ANETH D-314)	1	A	WI
N5700	14	400S	230E	4303716273	ARROWHEAD 2 (ANETH B-314)	1	A	WI
N5700	14	400S	230E	4303716277	ARROWHEAD 1 (ANETH D-114)	1	A	WI
N5700	23	400S	230E	4303716271	A W RICE 2 (ANETH B-123)	1	A	WI
N5700	23	400S	230E	4303716276	A W RICE 3 (ANETH C-223)	1	A	WI
N5700	24	400S	230E	4303716270	FEDERAL A-1 (ANETH A-124)	1	A	WI
N5700	24	400S	230E	4303716275	FEDERAL 1 (ANETH C-124)	1	A	WI
N5700	07	400S	240E	4303715412	W ISMY FED 3 (ANETH E307)	1	A	WI
N5700	07	400S	240E	4303715415	W ISMAY FED 2 (ANETH F-407)	1	A	WI
N5700	07	400S	240E	4303716100	NAVAJO FED 6-1 (ANETH G-307)	1	A	WI
N5700	07	400S	240E	4303716118	NAVAJO FED 7-1 (ANETH H-207)	1	I	WI
N5700	07	400S	240E	4303716283	GULF-AZTEC FED 7 (ANETH E-207)	1	A	WI
N5700	07	400S	240E	4303716322	NAVAJO TRIBE FED 5-1 (ANETH H-407)	2	A	WI

Chevron U.S.A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.
Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	07	400S	240E	4303730175	ANETH U E407	1	A	WI
N5700	08	400S	240E	4303716060	NAVAJO TRIBE E-15 (ANETH E-308)	2	A	WI
N5700	08	400S	240E	4303716076	NAVAJO FED 8-1 (ANETH F-208)	2	A	WI
N5700	08	400S	240E	4303716101	NAVAJO TRIBE L-6 (ANETH G-308)	2	A	WI
N5700	08	400S	240E	4303716119	NAVAJO TRIBE E-16 (ANETH H-208)	2	A	WI
N5700	08	400S	240E	4303716284	NAVAJO FED 9-1 (ANETH E-208)	2	A	WI
N5700	08	400S	240E	4303716298	NAVAJO TRIBE E-13 (ANETH F-408)	2	A	WI
N5700	08	400S	240E	4303716323	NAVAJO TRIBE L-3 (ANETH H-408)	2	A	WI
N5700	09	400S	240E	4303716061	NAVAJO TRIBE E-14 (ANETH E-309)	2	A	WI
N5700	09	400S	240E	4303716082	NAVAJO TRIBE E-4 (ANETH F-409)	2	A	WI
N5700	10	400S	240E	4303716125	NAVAJO TRIBE E-7 (ANETH H-410)	2	I	WI
N5700	11	400S	240E	4303715940	ANETH UNIT E-411	2	A	WI
N5700	11	400S	240E	4303715944	NAVAJO A-10/34-11 (ANETH G-411)	2	A	WI
N5700	11	400S	240E	4303716295	NAVAJO A-12/23-11 (ANETH F-311)	2	A	WI
N5700	13	400S	240E	4303715938	NAV TRIBE A-13 (ANETH E-213)	2	A	WI
N5700	13	400S	240E	4303715941	NAVAJO A-4 (ANETH E-413)	2	A	WI
N5700	14	400S	240E	4303715939	NAVAJO A-6 (ANETH E-214)	2	A	WI
N5700	14	400S	240E	4303715942	ANETH F-314	2	A	WI
N5700	14	400S	240E	4303715943	NAVAJO A-7/32-14 (ANETH G-214)	2	A	WI
N5700	14	400S	240E	4303715945	NAVAJO A-1/34-14 (ANETH G-414)	2	A	WI
N5700	14	400S	240E	4303716310	NAVAJO A-9/41-14 (ANETH H-114)	2	A	WI
N5700	14	400S	240E	4303716421	ANETH UNIT E414	2	A	WI
N5700	14	400S	240E	4303716422	ANETH UNIT F-114	2	A	WI
N5700	14	400S	240E	4303731381	ANETH UNIT H314X	2	I	WI
N5700	15	400S	240E	4303716116	ANETH G-415	2	A	WI
N5700	15	400S	240E	4303716296	NAVAJO TRIBAL E-8 (ANETH F-315)	2	A	WI
N5700	15	400S	240E	4303730213	ANETH E-315	2	A	WI
N5700	15	400S	240E	4303730312	ANETH H-315	2	A	WI
N5700	16	400S	240E	4303715832	STATE THREE 11-16 (ANETH E-116)	3	A	WI
N5700	16	400S	240E	4303716285	ST THREE 21-16 (ANETH F-116)	3	A	WI
N5700	16	400S	240E	4303716297	ST THREE 23-16 (ANETH F-316)	3	A	WI

Chevron U.S.A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.
Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	16	400S	240E	4303716312	STATE THREE 42-16 (ANETH H-216)	3	A	WI
N5700	16	400S	240E	4303720230	ANETH H-416	3	A	WI
N5700	16	400S	240E	4303730094	ANETH E-316	3	A	WI
N5700	16	400S	240E	4303730107	ANETH G-316	3	A	WI
N5700	16	400S	240E	4303730333	ANETH F-416	3	A	WI
N5700	16	400S	240E	4303730344	ANETH G-116	3	A	WI
N5700	17	400S	240E	4303716049	ANETH UNIT E-117	2	A	WI
N5700	17	400S	240E	4303716062	NAVAJO TRIBAL G-7 (ANETH E317)	2	A	WI
N5700	17	400S	240E	4303716089	NAVAJO TRIBAL G-3 (ANETH G-117)	2	A	WI
N5700	17	400S	240E	4303716103	NAVAJO TRIBAL 1-X-G (ANETH G-317)	2	A	WI
N5700	17	400S	240E	4303716286	NAVAJO TRIBAL G-8 (ANETH F-217)	2	A	WI
N5700	17	400S	240E	4303716299	NAVAJO TRIBAL G-6 (ANETH F-417)	2	A	WI
N5700	17	400S	240E	4303716313	NAV TRIBAL L-4 (ANETH H-217)	2	A	WI
N5700	17	400S	240E	4303716326	NAVAJO TRIBAL L-1 (ANETH H-417)	2	A	WI
N5700	18	400S	240E	4303715083	NAVAJO TRIBAL FED U 3	2	A	WI
N5700	18	400S	240E	4303715413	ANETH U E-118 (W ISMY FED 1)	1	A	WI
N5700	18	400S	240E	4303716063	NAVAJO TRIBAL 4 (ANETH E-318)	1	A	WI
N5700	18	400S	240E	4303716090	NAVAJO TRIBE 2 (ANETH G-118)	2	A	WI
N5700	18	400S	240E	4303716104	NAVAJO TRIBE G-4 (ANETH G-318)	2	A	WI
N5700	18	400S	240E	4303716120	NAVAJO TRIBAL G-5 (ANETH H-218)	2	A	WI
N5700	18	400S	240E	4303716287	NAVAJO FED U 1 (ANETH F-218)	2	A	WI
N5700	18	400S	240E	4303716327	NAVAJO TRIBAL G-2 (ANETH H-418)	2	A	WI
N5700	18	400S	240E	4303730137	ANETH U E218	1	A	WI
N5700	18	400S	240E	4303730155	ANETH U F118	1	A	WI
N5700	19	400S	240E	4303716077	NAVAJO TRIBE D-26 (ANETH F-219)	2	A	WI
N5700	19	400S	240E	4303716091	NAVAJO TRIBE D-16 (ANETH G-119)	2	A	WI
N5700	19	400S	240E	4303716121	NAVAJO TRIBE D-3 (ANETH H-219)	2	A	WI
N5700	19	400S	240E	4303716280	NAVAJO FED U B-1 (ANETH E-119)	2	A	WI
N5700	19	400S	240E	4303716309	NAVAJO TRIBE D-25 (ANETH G-319)	2	A	WI
N5700	19	400S	240E	4303716328	NAVAJO TRIBE D-27 (ANETH H-419)	2	A	WI
N5700	20	400S	240E	4303716050	NAVAJO TRIBE D-10 (ANETH E-120)	2	A	WI

Chevron U.S.A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.
Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	20	400S	240E	4303716065	NAVAJO TRIBE D-17 (ANETH E-320)	2	A	WI
N5700	20	400S	240E	4303716092	NAVAJO TRIBE L-5 (ANETH G-120)	2	A	WI
N5700	20	400S	240E	4303716105	NAVAJO TRIBE D-12 (ANETH G-320)	2	A	WI
N5700	20	400S	240E	4303716288	NAVAJO TRIBE D-8 (ANETH F-220)	2	A	WI
N5700	20	400S	240E	4303716300	NAVAJO TRIBE D-20 (ANETH F-420)	2	A	WI
N5700	20	400S	240E	4303716314	NAVAJO TRIBE L-2 (ANETH H-220)	2	A	WI
N5700	20	400S	240E	4303716329	NAVAJO TRIBE D-13 (ANETH H-420)	2	A	WI
N5700	21	400S	240E	4303716051	NAVAJO TRIBE D-4 (ANETH E-121)	2	A	WI
N5700	21	400S	240E	4303716066	NAVAJO TRIBE D-14 (ANETH E-321)	2	A	WI
N5700	21	400S	240E	4303716078	NAVAJO TRIBE D-6 (ANETH F-221)	2	A	WI
N5700	21	400S	240E	4303716084	NAVAJO TRIBE D-21 (ANETH F-421)	2	A	WI
N5700	21	400S	240E	4303716122	NAVAJO TRIBE D-7 (ANETH H-221)	2	A	WI
N5700	21	400S	240E	4303716330	NAVAJO TRIBE D-24 (ANETH H-421)	2	A	WI
N5700	21	400S	240E	4303730095	ANETH G-321X	2	A	WI
N5700	21	400S	240E	4303730335	ANETH G-121X	2	A	WI
N5700	22	400S	240E	4303716067	NAVAJO TRIBE D-19 (ANETH E-322)	2	A	WI
N5700	22	400S	240E	4303716085	NAVAJO TRIBE D-23 (ANETH F-422)	2	A	WI
N5700	22	400S	240E	4303716117	NAVAJO TRIBE D-2 (ANETH H-122)	2	A	WI
N5700	22	400S	240E	4303716127	NAVAJO TRIBE D-22 (ANETH H-422)	2	I	WI
N5700	22	400S	240E	4303720231	ANETH G-322X	2	A	WI
N5700	22	400S	240E	4303730215	ANETH E-122	2	A	WI
N5700	22	400S	240E	4303730242	ANETH H-222	2	A	WI
N5700	22	400S	240E	4303730373	ANETH F-222	2	A	WI
N5700	22	400S	240E	4303730425	ANETH G-122	2	A	WI
N5700	23	400S	240E	4303716068	NAVAJO TRIBE C-12 (ANETH E-323)	2	A	WI
N5700	23	400S	240E	4303716079	NAVAJO TRIBE C-7 (ANETH F-223)	2	A	WI
N5700	23	400S	240E	4303716086	NAVAJO TRIBE C-17 (ANETH F-423)	2	A	WI
N5700	23	400S	240E	4303716123	NAVAJO TRIBE C-8 (ANETH H-223)	2	A	WI
N5700	23	400S	240E	4303716128	NAVAJO TRIBE C-3 (ANETH H-423)	2	A	WI
N5700	23	400S	240E	4303716306	NAVAJO TRIBE C-1 (ANETH G-123)	2	A	WI
N5700	23	400S	240E	4303730235	ANETH F-123	2	A	WI

Chevron U.S.A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.
Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	24	400S	240E	4303716069	NAVAJO TRIBE C-10 (ANETH E-324)	2	A	WI
N5700	24	400S	240E	4303716087	NAVAJO TRIBE C-13 (ANETH F-424)	2	A	WI
N5700	24	400S	240E	4303716111	NAVAJO TRIBE C-15 (ANETH G-324)	2	A	WI
N5700	24	400S	240E	4303716289	NAVAJO TRIBE C-16 (ANETH F-224)	2	A	WI
N5700	24	400S	240E	4303716331	NAVAJO TRIBE C-28 (ANETH H-424)	2	A	WI
N5700	25	400S	240E	4303716070	NAVAJO TRIBE C-21 (ANETH E-325)	2	A	WI
N5700	25	400S	240E	4303716080	NAVAJO TRIBE C-20 (F225)	2	A	WI
N5700	25	400S	240E	4303716095	ANETH UNIT G125	2	A	WI
N5700	25	400S	240E	4303716124	NAVAJO TRIBE C-11 (ANETH H-225)	2	A	WI
N5700	25	400S	240E	4303716129	NAVAJO TRIBE C-24 (ANETH H-425)	2	A	WI
N5700	25	400S	240E	4303716301	NAVAJO TRIBE C-32 (ANETH F-425)	2	A	WI
N5700	26	400S	240E	4303716054	NAVAJO TRIBE C-29 (ANETH E-126)	2	A	WI
N5700	26	400S	240E	4303716071	NAVAJO TRIBE C-30 (ANETH E-326)	2	A	WI
N5700	26	400S	240E	4303716113	NAVAJO TRIBE C-27 (ANETH G-326)	2	A	WI
N5700	26	400S	240E	4303716290	NAVAJO TRIBE C-23 (ANETH F-226)	2	A	WI
N5700	26	400S	240E	4303716302	NAVAJO TRIBE C-4 (ANETH F-426)	2	A	WI
N5700	26	400S	240E	4303716316	NAVAJO TRIBE C-19 (ANETH H-226)	2	A	WI
N5700	26	400S	240E	4303716332	NAVAJO TRIBE C-31 (ANETH H-426)	2	A	WI
N5700	26	400S	240E	4303730372	ANETH G-126X	2	A	WI
N5700	27	400S	240E	4303716223	ANETH 27-B2 (ANETH F-227)	2	I	WI
N5700	27	400S	240E	4303716307	ANETH 27-C-1 (ANETH G-127)	2	A	WI
N5700	27	400S	240E	4303716317	ANETH 27-D2 (ANETH H-227)	2	A	WI
N5700	27	400S	240E	4303716333	ANETH 27-D-4 (ANETH H-427)	2	A	WI
N5700	27	400S	240E	4303716782	ANETH 27-A-1 (ANETH E-127)	2	A	WI
N5700	28	400S	240E	4303716222	ANETH 28-A-1 (ANETH E-128)	2	A	WI
N5700	28	400S	240E	4303716224	ANETH 28-C-1 (ANETH G-128)	2	A	WI
N5700	28	400S	240E	4303716228	ANETH H-228	2	A	WI
N5700	29	400S	240E	4303716055	NAVAJO TRIBE S-2 (ANETH E-129)	2	A	WI
N5700	29	400S	240E	4303716097	NAVAJO TRIBE S-1 (ANETH G-129)	2	A	WI
N5700	29	400S	240E	4303716292	NAVAJO TRIBE S-4 (ANETH F-229)	2	I	WI
N5700	29	400S	240E	4303716318	NAVAJO TRIBE S-3 (ANETH H-229)	2	A	WI

Chevron U.S.A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.
Injection Wells


Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	34	400S	240E	4303716303	ANETH 34-B-4 (ANETH F-434)	2	A	WI
N5700	34	400S	240E	4303716319	ANETH 34-D2 (ANETH H-234)	2	I	WI
N5700	35	400S	240E	4303716293	NAVAJO TRIBE Q-5 (ANETH F-235)	2	A	WI
N5700	35	400S	240E	4303716304	NAVAJO TRIBE Q-8 (ANETH F-435)	2	A	WI
N5700	35	400S	240E	4303716320	NAVAJO TRIBE Q-4 (ANETH H-235)	2	A	WI
N5700	36	400S	240E	4303715485	NAVAJO 4 (ANETH E-136)	2	A	WI
N5700	36	400S	240E	4303715486	NAV TRB 2-A (G136)	2	A	WI
N5700	36	400S	240E	4303715487	NAVAJO 1 (ANETH H-236)	2	A	WI
N5700	36	400S	240E	4303716294	NAVAJO 3 (ANETH F-236)	2	A	WI
N5700	19	400S	250E	4303716140	ANETH UNIT L-419	2	A	WI
N5700	29	400S	250E	4303716131	NAVAJO TRIBE F-8 (ANETH J-129)	2	A	WI
N5700	30	400S	250E	4303716132	NAVAJO TRIBE F-9 (ANETH J-130)	2	A	WI
N5700	30	400S	250E	4303716134	NAVAJO TRIBE F-5 (ANETH J-330)	2	A	WI
N5700	30	400S	250E	4303716135	NAVAJO TRIBE F-2 (ANETH K-230)	2	A	WI
N5700	30	400S	250E	4303716137	NAVAJO TRIBE F-7 (ANETH K-430)	2	A	WI
N5700	30	400S	250E	4303716139	NAVAJO TRIBE F-6 (ANETH L-330)	2	A	WI
N5700	30	400S	250E	4303716141	NAVAJO TRIBE F-10 (ANETH M-230)	2	A	WI
N5700	30	400S	250E	4303716337	NAVAJO TRIBE F-11 (ANETH M-430)	2	A	WI
N5700	31	400S	250E	4303715946	NAVAJO TRIBE C11-31 (J131)	2	A	WI
N5700	31	400S	250E	4303716335	NAVAJO TRIBE C-22-31 (ANETH K-231)	2	A	WI

TRANSFER OF AUTHORITY TO INJECT


Well Name and Number Orangeville & Huntington, Emery County, Utah (See Attached Well List)		API Number
Location of Well Footage : See attached well locations County : Emery QQ, Section, Township, Range: State : UTAH		Field or Unit Name See Attached Well List Lease Designation and Number See Attached Well List

EFFECTIVE DATE OF TRANSFER: 5/1/2002


CURRENT OPERATOR

Company: Texaco Exploration and Production Inc	Name: Allen S. Robinson
Address: 3300 North Butler, Suite 100	Signature: 
city Farmington state NM zip 87401	Title: Attorney-In-Fact
Phone: (505) 325-4397	Date: April 30, 2002
Comments:	

NEW OPERATOR

Company: Chevron U.S.A. Inc.	Name: J. Scott Purdy
Address: P.O. Box 36366	Signature: 
city Houston state TX zip 79702	Title: Attorney-In-Fact
Phone: (915) 687-2000	Date: May 1, 2002
Comments:	

(This space for State use only)

Transfer approved by: 
Title: Tech Services Manager

Approval Date: 10/21/02

Comments:

RECEIVED

MAY 06 2002

DIVISION OF
OIL, GAS AND MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL ☐ GAS WELL ☐ OTHER Operator Name Change

2. NAME OF OPERATOR:

Chevron U.S.A. Inc.

3. ADDRESS OF OPERATOR:

P.O. Box 36366

CITY Houston

STATE TX

ZIP 77236

PHONE NUMBER:

(281) 561-3443

4. LOCATION OF WELL

FOOTAGES AT SURFACE: See Attached List of Wells

COUNTY: Emery

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE:

UTAH

5. LEASE DESIGNATION AND SERIAL NUMBER:

See Attached List of Wells

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

BLM & State of Utah

7. UNIT or CA AGREEMENT NAME:

Orangeville & Huntington

8. WELL NAME and NUMBER:

See Attached List of Wells

9. API NUMBER:

10. FIELD AND POOL, OR WILDCAT:

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: <u>Operator Name</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	<u>Change (Merger)</u>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective May 1, 2002, Chevron U.S.A. Inc. is the new operator of the attached list of subject wells and leases that were previously operated by Texaco Exploration and Production Inc. The subject wells are located North of Orangeville and North of Huntington, Emery County, Utah. These Wells will be protected by the following surety bonds:

STATE OF UTAH Bond #: 103521627-0016 in the amount of \$80,000. (This bond will replace United Pacific Insurance Company bond number U89-75-80-0059. We respectfully request this bond be released and returned.)

BLM Nationwide Bond#: U89-75-81-0034 in the amount of \$300,000.

Key Contacts:

Ron Wirth - Operations Supervisor - 435 748-5395 x1
Texaco Exploration & Production Inc.

J. S. Purdy, Attorney-In-Fact

RECEIVED

MAY 06 2002

DIVISION OF
OIL, GAS AND MINING

NAME (PLEASE PRINT) Allen S. Robinson

TITLE Attorney-In-Fact

SIGNATURE Allen S. Robinson

DATE April 30, 2002

(This space for State use only)

**THE
NAVAJO
NATION****MINERALS DEPARTMENT**

Post Office Box 1910

Window Rock, Arizona 86515

Phone: (928) 871-6587 • Fax: (928) 871-7095

KELSEY A. BEGAYE
PRESIDENT**TAYLOR MCKENZIE, M.D.**
VICE PRESIDENT

October 11, 2002

Mr. Don Sellars
Regulatory Specialist
ChevronTexaco
11111 S. Wilcrest
Houston, Texas 77099

Subject: Navajo Nation Assignment of Oil & Gas Lease

Dear Mr. Sellars:

Attached are fourteen (14) approved Navajo Nation Assignment of Oil and Gas Lease applications for assignment of interest from Texaco Exploration & Production, Inc. to Chevron U.S.A., Inc. (Chevron) for the following leases:

- | | | |
|---------------------|---------------------|----------------------|
| 1) I-149-IND-8834 | 6) I-149-IND-8839 | 11) 14-20-603-4035 |
| 2) I-149-IND-8835 | 7) 14-20-603-2057 | 12) 14-20-603-4037 |
| 3) I-149-IND-8836 | 8) 14-20-603-2059 | 13) 14-20-603-5043-A |
| 4) I-149-IND-8838 | 9) 14-20-603-4030-A | 14) 14-20-603-5446 |
| 5) I-149-IND-8839-A | 10) 14-20-603-4032 | |

If you have any questions, please call me or Mr. Brad Nesemeier at (928) 871-6587.

Sincerely,

Akhtar Zaman, Director
Minerals Department

Attachments
AZ/GLB/cab

OPERATOR CHANGE WORKSHEET

ROUTING

- | |
|---------|
| 1. GLH |
| 2. CDW |
| 3. FILE |

Change of Operator (Well Sold)

Designation of Agent

Operator Name Change

X Merger

The operator of the well(s) listed below has changed, effective: 05-01-2002

FROM: (Old Operator):	TO: (New Operator):
TEXACO EXPLORATION & PRODUCTION INC	CHEVRON USA INC
Address: 3300 NORTH BUTLER, STE 100	Address: P O BOX 36366
FARMINGTON, NM 87401	HOUSTON, TX 79702
Phone: 1-(505)-325-4397	Phone: 1-(915)-687-2000
Account No. N5700	Account No. N0210

CA No.

Unit: ANETH

WELL(S)

NAME	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
ANETH F-123	23-40S-24E	43-037-30235	99990	INDIAN	WIW	A
NAVAJO TRIBE C-13 (ANETH F-424)	24-40S-24E	43-037-16087	99990	INDIAN	WIW	A
NAVAJO TRIBE C-10 (ANETH E-324)	24-40S-24E	43-037-16069	99990	INDIAN	WIW	A
NAVAJO TRIBE C-15 (ANETH G-324)	24-40S-24E	43-037-16111	99990	INDIAN	WIW	A
NAVAJO TRIBE C-16 (ANETH F-224)	24-40S-24E	43-037-16289	99990	INDIAN	WIW	A
NAVAJO TRIBE C-28 (ANETH H-424)	24-40S-24E	43-037-16331	99990	INDIAN	WIW	A
NAVAJO TRIBE C-21 (ANETH E-325)	25-40S-24E	43-037-16070	99990	INDIAN	WIW	A
NAVAJO TRIBE C-20 (F-225)	25-40S-24E	43-037-16080	7000	INDIAN	WIW	A
ANETH UNIT G-125	25-40S-24E	43-037-16095	99990	INDIAN	WIW	A
NAVAJO TRIBE C-11 (ANETH H-225)	25-40S-24E	43-037-16124	11883	INDIAN	WIW	A
NAVAJO TRIBE C-24 (ANETH H-425)	25-40S-24E	43-037-16129	99990	INDIAN	WIW	A
NAVAJO TRIBE C-32 (ANETH F-425)	25-40S-24E	43-037-16301	99990	INDIAN	WIW	A
NAVAJO TRIBE C-4 (ANETH F-426)	26-40S-24E	43-037-16302	99990	INDIAN	WIW	A
NAVAJO TRIBE C-29 (ANETH E-126)	26-40S-24E	43-037-16054	99990	INDIAN	WIW	A
NAVAJO TRIBE C-30 (ANETH E-326)	26-40S-24E	43-037-16071	7000	INDIAN	WIW	A
NAVAJO TRIBE C-27 (ANETH G-326)	26-40S-24E	43-037-16113	7000	INDIAN	WIW	A
NAVAJO TRIBE C-23 (ANETH F-226)	26-40S-24E	43-037-16290	99990	INDIAN	WIW	A
NAVAJO TRIBE C-19 (ANETH H-226)	26-40S-24E	43-037-16316	99990	INDIAN	WIW	A
NAVAJO TRIBE C-31 (ANETH H-426)	26-40S-24E	43-037-16332	99990	INDIAN	WIW	A
ANETH G-126X	26-40S-24E	43-037-30372	99990	INDIAN	WIW	A

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-2-10) Sundry or legal documentation was received from the **FORMER** operator on: 05/06/2002
2. (R649-2-10) Sundry or legal documentation was received from the **NEW** operator on: 04/12/2002
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 10/16/2002
4. Is the new operator registered in the State of Utah: YES Business Number: 564408-0143
5. If **NO**, the operator was contacted on: N/A

6. (R649-9-2) Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 10/11/2002

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 10/11/2002

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 10/21/2002

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 10/24/2002
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 10/24/2002
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: N/A

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: N/A

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: 8975810026

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number N/A
2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS: Chevron USA Inc merged with Texaco Exploration & Production Inc to form ChevronTexaco Inc
although all the Utah operations will be operated by Chevron USA Inc.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Injection wells</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: <u>See Attachment</u>
2. NAME OF OPERATOR: <u>Resolute Natural Resources Company</u> <u>N2700</u>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: <u>Navajo</u>
3. ADDRESS OF OPERATOR: 1675 Broadway, Suite 1950 CITY <u>Denver</u> STATE <u>CO</u> ZIP <u>80202</u> PHONE NUMBER: <u>(303) 534-4600</u>		7. UNIT or CA AGREEMENT NAME: <u>Aneth Unit</u>
4. LOCATION OF WELL FOOTAGES AT SURFACE: <u>See Attachment</u> COUNTY: <u>San Juan</u> QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: STATE: <u>UTAH</u>		8. WELL NAME and NUMBER: <u>See Attachment</u>
		9. API NUMBER: <u>See Attach</u>
		10. FIELD AND POOL, OR WILDCAT: <u>Desert Creek</u>

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of Operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As of December 1, 2004, Chevron U.S.A. Inc. resigned as Operator of the Aneth Unit. The successor operator is Resolute Natural Resources Company.

NAME (PLEASE PRINT)

Janet Pasque

TITLE

Vice President

SIGNATURE

Janet Pasque

DATE

11/30/04

(This space for state use only)

APPROVED 12/29/2004

ER

Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

FORM 9

5. LEASE DESIGNATION AND SERIAL NUMBER:
See attached exhibit.

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL ☐ GAS WELL ☐ OTHER See attached exhibit.

2. NAME OF OPERATOR:

Resolute Natural Resources Company

3. ADDRESS OF OPERATOR:

1675 Broadway, Suite 1950 CITY Denver

CITY

Denver

STATE

CO

FD-80202

PHONE NUMBER:

(303) 534-4600

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

Navajo

7. UNIT or CA AGREEMENT NAME:

Aneth Unit

8. WELL NAME and NUMBER:

See attached exhibit.

9. API NUMBER:

See attached exhibit.

10. FIELD AND POOL OR WILDCAT:

Aneth

4. LOCATION OF WELL

FOOTAGES AT SURFACE:

COUNTY: **San Juan**

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE:

UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION		TYPE OF ACTION	
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> ALTER CASING <input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> DEEPEN <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> PLUG BACK <input type="checkbox"/> PRODUCTION (START/RESUME) <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	<input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> WATER SHUT-OFF <input checked="" type="checkbox"/> OTHER: <u>Change of operator</u>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As of December 1, 2004, Chevron U.S.A. Inc. resigned as operator of the Aneth Unit. Resolute Natural Resources Company has been elected the successor operator.

RECEIVED

DEC 22 2004

DIV. OF OIL, GAS & MINING

NAME (PLEASE PRINT) **Chevron U.S.A. Inc.**

N0210

TITLE A. E. Wacker, Attorney-in-Fact

SIGNATURE

R. E. Wacker

DATE 12/20/2004

(This space for State use only)

APPROVED 12/29/2004

Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

UIC FORM 5

Well Name and Number See attached exhibit.	API Number See attached exhibit.
Location of Well Footage : [REDACTED] County : San Juan	Field or Unit Name Aneth Unit
QQ, Section, Township, Range: [REDACTED] State : UTAH	Lease Designation and Number See attached exhibit.

N0210

Comments:

~~RECEIVED~~

DEC 22 2004

N2700

DIV. OF OIL, GAS & MINING

Date: 12/21/04

Comments:

(This space for State use only)

Transfer approved by:

Approval Date:

Title:

Comments:

Title: VIC Geologist.

Comments: Transfer of Authority to Inject into the Aneth C214 and Aneth B14 contingent on this office receiving a corrective action plan for each well. Both well Aneth 214 failed 5 year test on 10/13/2004 operator would not conduct scheduled 5 year test on Aneth B14. (considered a failure).

NUM	API NUM	Q1	Q2	SEC	TWSP	RNG	LEGAL	Lease	Status 12/1/04	NNEPA Well List	USEPA Well List	UIC Program
H222	4303730242	SE	NW	22	40S	24E		I-149-IND-8836	Active	H222	H222	Navajo Nation
F418	4303715083	SE	SW	18	T40S	R24E	650' FSL/1825' FWL	I-149-IND-8835	Active	F418	F418	Navajo Nation
E307	4303715412	NW	SW	7	T40S	R24E	1980' FSL/660' FWL	SL-067807	Active	E307	E307	Navajo Nation
E118	4303715413	NW	NW	18	T40S	R24E	660' FNL/660' FWL	SL-067807	Active	E118	E118	Navajo Nation
F407	4303715415	SE	SW	7	T40S	R24E	660' FSL/1980' FWL	SL-067807	Active	F407	F407	Navajo Nation
E136	4303715485	NW	NW	36	T40S	R24E	660' FNL/660' FWL	14-20-603-5444	Active	E136	E136	Navajo Nation
G136	4303715486	NW	NE	36	T40S	R24E	785' FNL/2040' FEL	14-20-603-5443	Active	G136	G136	Navajo Nation
H236	4303715487	SE	NE	36	T40S	R24E	1980' FNL/660' FEL	14-20-603-5443	P/A			Navajo Nation
B213	4303715825	SE	NW	13	T40S	R23E	3300' FSL/3300' FEL	SL-070968-A	Active			State of Utah
C113	4303715827	NW	NE	13	T40S	R23E	4602' FSL/1993' FEL	SL-070968-A	Active			State of Utah
C313	4303715828	NW	SE	13	T40S	R23E	1949' FSL/1991' FEL	SL-070968-A	Active			State of Utah
D213	4303715830	SE	NE	13	T40S	R23E	3263' FSL/660' FEL	SL-070968-A	Active			State of Utah
E116	4303715832	NW	NW	16	T40S	R24E	601' FNL/550' FWL	ML-3156	Active	E116	E116	Navajo Nation
E213	4303715938	SW	NW	13	T40S	R24E	2140' FNL/740' FWL	I-IND-149-8837	Active	E213	E213	Navajo Nation
E214	4303715939	SW	NW	14	T40S	R24E	1940' FNL/650' FWL	I-149-IND-8837	Active	E214	E214	Navajo Nation
E411	4303715940	SW	SW	11	T40S	R24E	500' FSL/820' FWL	I-149-IND-8837	Active	E411	E411	Navajo Nation
E413	4303715941	SW	SW	13	T40S	R24E	660' FSL/660' FWL	IND-149-8837	Active	E413	E413	Navajo Nation
F314	4303715942	NE	SW	14	T40S	R24E	1980' FSL/1980' FWL	I-149-IND-8837	Active	F314	F314	Navajo Nation
G214	4303715943	SW	NE	14	T40S	R24E	2140' FNL/2010' FEL	I-149-IND-8839	P/A			Navajo Nation
G411	4303715944	SW	SE	11	T40S	R24E	680' FSL/1950' FEL	I-149-IND-8837	Active	G411	G411	Navajo Nation
G414	4303715945	SW	SE	14	T40S	R24E	660' FSL/1980' FEL	I-149-IND-8837	Active	G414	G414	Navajo Nation
J131	4303715946	NW	NW	31	T40S	R25E	660' FNL/638' FWL	14-20-603-372	Active	J131	J131	Navajo Nation
B114	4303716032	NE	NW	14	T40S	R23E	660' FNL/1980' FWL	SL-070968	Shut-In			State of Utah
C214	4303716033	SW	NE	14	T40S	R23E	1890' FNL/1930' FEL	SL-070968	Shut-In			State of Utah
C411	4303716034	SW	SE	11	T40S	R23E	600' FSL/2010' FEL	SL-070968-B	P/A			State of Utah
C414	4303716035	SW	SE	14	T40S	R23E	760' FSL/2000' FEL	SL-070968	Active			State of Utah
D314	4303716038	NE	SE	14	T40S	R23E	1980' FSL/660' FEL	SL-070968	Active			State of Utah
E117	4303716049	NW	NW	17	T40S	R24E	520' FNL/645' FWL	I-149-IND-8835	Active	E117	E117	Navajo Nation
E120	4303716050	NW	NW	20	T40S	R24E	660' FNL/660' FWL	I-149-IND-8836	Active	E120	E120	Navajo Nation
E121	4303716051	NW	NW	21	T40S	R24E	660' FNL/760' FWL	I-149-IND-8836	Active	E121	E121	Navajo Nation
E126	4303716054	NW	NW	26	T40S	R24E	760' FNL/660' FWL	I-149-IND-8838	Active	E126	E126	Navajo Nation
E129	4303716055	NW	NW	29	T40S	R24E	660' FNL/660' FWL	14-20-603-4030	Active	E129	E129	Navajo Nation
E308	4303716060	NW	SW	8	T40S	R24E	1820' FSL/645' FWL	I-149-IND-8833	Active	E308	E308	Navajo Nation
E309	4303716061	NW	SW	9	T40S	R24E	1900' FSL/500' FWL	I-149-IND-8834	P/A			Navajo Nation
E317	4303716062	NW	SW	17	40S	24E	1980' FSL/660' FWL	I-149-IND-8835	Active	E317	E317	Navajo Nation
E318	4303716063	NW	SW	18	T40S	R24E	1980' FSL/660' FWL	SL-067807	Active	E318	E318	Navajo Nation
E319	4303716064	NW	SW	19	T40S	R24E	2040' FSL/680' FWL	I-149-IND-8836	P/A			Navajo Nation
E320	4303716065	NW	SW	20	T40S	R24E	2140' FSL/820' FWL	I-149-IND-8836	Active	E320	E320	Navajo Nation
E321	4303716066	NW	SW	21	T40S	R24E	2140' FSL/720' FWL	I-149-IND-8836	Active	E321	E321	Navajo Nation
E322	4303716067	NW	SW	22	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8836	Active	E322	E322	Navajo Nation
E323	4303716068	NW	SW	23	T40S	R24E	1980' FSL/510' FWL	I-149-IND-8838	Active	E323	E323	Navajo Nation
E324	4303716069	NW	SW	24	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8838	Active	E324	E324	Navajo Nation
E325	4303716070	NW	SW	25	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8838	Active	E325	E325	Navajo Nation
E326	4303716071	NW	SW	26	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8838	Active	E326	E326	Navajo Nation
F115	4303716074	NE	NW	15	T40S	R24E	690' FNL/2140' FWL	I-149-IND-8834	Active	F115	F115	Navajo Nation

F208	4303716076	SE	NW	8	T40S	R24E	2140' FNL/2050' FWL	I-149-IND-8833	Active	F208	F208	Navajo Nation
F219	4303716077	SE	NW	19	T40S	R24E	1820' FNL/2140' FWL	I-149-IND-8836	Active	F219	F219	Navajo Nation
F221	4303716078	SE	NW	21	T40S	R24E	1980' FNL/1980' FWL	I-149-IND-8836	Active	F221	F221	Navajo Nation
F223	4303716079	SE	NW	23	T40S	R24E	1980' FNL/1820' FWL	I-149-IND-8838	Active	F223	F223	Navajo Nation
F225	4303716080	SE	NW	25	T40S	R24E	2040' FNL/2080' FWL	I-149-IND-8838	Active	F225	F225	Navajo Nation
F409	4303716082	SE	SW	9	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8834	Active	F409	F409	Navajo Nation
F421	4303716084	SE	SW	21	T40S	R24E	585' FSL/1990' FWL	I-149-IND-8836	Active	F421	F421	Navajo Nation
F422	4303716085	SE	SW	22	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8836	Active	F422	F422	Navajo Nation
F423	4303716086	SE	SW	23	T40S	R24E	770' FSL/1955' FWL	I-149-IND-8838	Active	F423	F423	Navajo Nation
F424	4303716087	SE	SW	24	T40S	R24E	660' FSL/2100' FWL	I-149-IND-8838	Active	F424	F424	Navajo Nation
G117	4303716089	NW	NE	17	T40S	R24E	660' FNL/1980' FEL	I-149-IND-8835	Active	G117	G117	Navajo Nation
G118	4303716090	NW	NE	18	T40S	R24E	800' FNL/1910' FEL	I-149-IND-8835	Active	G118	G118	Navajo Nation
G119	4303716091	NW	NE	19	T40S	R24E	660' FNL/2140' FEL	I-149-IND-8836	Active	G119	G119	Navajo Nation
G120	4303716092	NW	NE	20	T40S	R24E	660' FNL/1980' FEL	I-149-IND-8833	Active	G120	G120	Navajo Nation
G125	4303716095	NW	NE	25	T40S	R24E	660' FNL/2140' FEL	I-149-IND-8838	Active	G125	G125	Navajo Nation
G129	4303716097	NW	NE	29	T40S	R24E	580' FNL/1905' FEL	14-20-603-4030	Active	G129	G129	Navajo Nation
G307	4303716100	NW	SE	7	T40S	R24E	1900' FSL/1995' FEL	SL-067807	Active	G307	G307	Navajo Nation
G308	4303716101	NW	SE	8	T40S	R24E	1975' FSL/1830' FEL	I-149-IND-8834	Active	G308	G308	Navajo Nation
G317	4303716103	NW	SE	17	T40S	R24E	1778' FSL/1900' FEL	I-149-IND-8835	Active	G317	G317	Navajo Nation
G318	4303716104	NW	SE	18	T40S	R24E	2125' FSL/1980' FEL	I-149-IND-8835	Active	G318	G318	Navajo Nation
G320	4303716105	NW	SE	20	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8836	Active	G320	G320	Navajo Nation
G324	4303716111	NW	SE	24	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8838	Active	G324	G324	Navajo Nation
G326	4303716113	NW	SE	26	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8838	Active	G326	G326	Navajo Nation
G415	4303716116	SW	SE	15	T40S	R24E	820' FSL/2400' FEL	I-149-IND-8834	Active	G415	G415	Navajo Nation
H122	4303716117	NE	NE	22	T40S	R24E	660' FNL/660' FEL	I-149-IND-8836	Active	H122	H122	Navajo Nation
H207	4303716118	SE	NE	7	T40S	R24E	1820' FNL/820' FEL	SL-067807	T/A			State of Utah
H208	4303716119	SE	NE	8	T40S	R24E	2140' FNL/660' FEL	I-149-IND-8833	Active	H208	H208	Navajo Nation
H218	4303716120	SE	NE	18	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8835	Active	H218	H218	Navajo Nation
H219	4303716121	SE	NE	19	T40S	R24E	1945' FNL/607' FEL	I-149-IND-8836	Active	H219	H219	Navajo Nation
H221	4303716122	SE	NE	21	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8836	Active	H221	H221	Navajo Nation
H223	4303716123	SE	NE	23	T40S	R24E	1820' FNL/730' FEL	I-149-IND-8838	Active	H223	H223	Navajo Nation
H225	4303716124	SE	NE	25	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8838	Active	H225	H225	Navajo Nation
H410	4303716125	SE	SE	10	T40S	R24E	625' FSL/545' FEL	I-149-IND-8834	P/A			Navajo Nation
H422	4303716127	SE	SE	22	T40S	R24E	^660' FSL/660' FEL	I-149-IND-8836	P/A			Navajo Nation
H423	4303716128	SE	SE	23	T40S	R24E	820' FSL/450' FEL	I-149-IND-8838	Active	H423	H423	Navajo Nation
H425	4303716129	SE	SE	25	T40S	R24E	660' FSL/660' FEL	I-149-IND-8838	Active	H425	H425	Navajo Nation
J129	4303716131	NW	NW	29	T40S	R25E	620' FNL/615' FWL	I-149-IND-8839	P/A			Navajo Nation
J130	4303716132	NW	NW	30	T40S	R25E	720' FNL/590' FEL	I-149-IND-8839	Shut-In	J130	J130	Navajo Nation
J330	4303716134	NW	SW	30	T40S	R25E	2060' FSL/800' FWL	I-149-IND-8839	Active	J330	J330	Navajo Nation
K230	4303716135	SE	NW	30	T40S	R25E	2075' FSL/2140' FWL	I-149-IND-8839	Shut-In	K230	K230	Navajo Nation
K430	4303716137	SE	SW	30	T40S	R25E	660' FSL/1980' FWL	I-149-IND-8839	Active	K430	K430	Navajo Nation
L330	4303716139	NW	SE	30	T40S	R25E	2120' FSL/1960' FEL	I-149-IND-8839	Active	L330	L330	Navajo Nation
L419	4303716140	SW	SE	19	T40S	R25E	660' FSL/1980' FEL	I-149-IND-8839	Active	L419	L419	Navajo Nation
M230	4303716141	SE	NE	30	T40S	R25E	1930' FNL/660' FEL	I-149-IND-8839	Active	M230	M230	Navajo Nation
E128	4303716222	NW	NW	28	T40S	R24E	660' FNL/660' FWL	14-20-603-2056	Active	E128	E128	Navajo Nation
F227	4303716223	SE	NW	27	T40S	R24E	1980' FNL/1980' FWL	14-20-603-2056	T/A			Navajo Nation
G128	4303716224	NW	NE	28	T40S	R24E	660' FNL/1980' FEL	14-20-603-2056	Shut-In	G128	G128	Navajo Nation

H228	4303716228	SE	NE	28	T40S	R24E	2080' FNL/560' FEL	14-20-603-2056	T/A			Navajo Nation
A124	4303716270	NW	NW	24	T40S	R23E	500' FNL/500' FWL	SL-0701010-C	Active			State of Utah
B123	4303716271	NE	NW	23	T40S	R23E	500' FNL/2140' FWL	SL-0701010	Active			State of Utah
B312	4303716272	NE	SW	12	T40S	R23E	3295' FNL/3348' FEL	SL-070968-A	Active	B312	B312	Navajo Nation
B314	4303716273	NE	SW	14	T40S	R23E	2030' FSL/2030' FWL	SL-070968	Active			State of Utah
C112	4303716274	NW	NE	12	T40S	R23E	658' FNL/1974' FEL	SL-070968-A	P/A			State of Utah
C124	4303716275	NW	NE	24	T40S	R23E	660' FNL/1980' FEL	SL-0701010-C	P/A			State of Utah
C223	4303716276	SW	NE	23	T40S	R23E	1820' FNL/1980' FEL	SL-0701010	P/A			State of Utah
D114	4303716277	NE	NE	14	T40S	R23E	660' FNL/760' FEL	SL-070968	Active			State of Utah
D212	4303716278	SE	NE	12	T40S	R23E	1860' FNL/656' FEL	SL-070968-A	Shut-In	D212	D212	Navajo Nation
D413	4303716279	SE	SE	13	T40S	R23E	660' FSL/661' FEL	SL-070968-A	Active			State of Utah
E119	4303716280	NW	NW	19	T40S	R24E	500' FNL/820' FWL	I-149-IND-8836	Active	E119	E119	Navajo Nation
E207	4303716283	SW	NW	7	T40S	R24E	2030' FNL 750 FWL		T/A	E207	E207	
E208	4303716284	SW	NW	8	T40S	R24E	1930' FNL/500' FWL	I-149-IND-8833	T/A			Navajo Nation
F116	4303716285	NE	NW	16	T40S	R24E	660' FNL/1980' FWL	ML-3156	Active	F116	F116	Navajo Nation
F217	4303716286	SE	NW	17	T40S	R24E	1890' FNL/1930' FWL	I-149-IND-8835	Active	F217	F217	Navajo Nation
F218	4303716287	SE	NW	18	T40S	R24E	1970' FNL/2060' FWL	I-149-IND-8835	Active	F218	F218	Navajo Nation
F220	4303716288	SE	NW	20	T40S	R24E	1980' FNL/1980' FWL	I-149-IND-8836	Active	F220	F220	Navajo Nation
F224	4303716289	SE	NW	24	T40S	R24E	1980' FNL/1980' FWL	I-149-IND-8838	Active	F224	F224	Navajo Nation
F226	4303716290	SE	NW	26	T40S	R24E	1950' FNL/1900' FWL	I-149-IND-8838	Active	F226	F226	Navajo Nation
F229	4303716292	SE	NW	29	T40S	R24E	2015' FNL/1930' FWL	14-20-603-4030	P/A	F229	F229	Navajo Nation
F235	4303716293	SE	NW	35	T40S	R24E	1825' FNL/2010' FWL	14-20-603-2059	Active	F235	F235	Navajo Nation
F236	4303716294	SE	NW	36	T40S	R24E	1980' FNL/1980' FWL	14-20-603-5444	Active	F236	F236	Navajo Nation
F311	4303716295	NE	SW	11	T40S	R24E	1820' FSL/1980' FWL	I-149-IND-8837	P/A			Navajo Nation
F315	4303716296	NE	SW	15	T40S	R24E	1980' FSL/2010' FWL	I-149-IND-8834	Active	F315	F315	Navajo Nation
F316	4303716297	NE	SW	16	T40S	R24E	2260' FSL/2140' FWL	ML-3156	Active	F316	F316	Navajo Nation
F408	4303716298	SE	SW	8	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8833	Active	F408	F408	Navajo Nation
F417	4303716299	SE	SW	17	T40S	R24E	500' FSL/2140' FWL	I-149-IND-8835	Active	F417	F417	Navajo Nation
F420	4303716300	SE	SW	20	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8836	Active	F420	F420	Navajo Nation
F425	4303716301	SE	SW	25	T40S	R24E	795' FSL/1960' FWL	I-149-IND-8838	Active	F425	F425	Navajo Nation
F426	4303716302	SE	SW	26	T40S	R24E	632' FSL/1867' FWL	I-149-IND-8838	P/A			Navajo Nation
F434	4303716303	SE	SW	34	T40S	R24E	815' FSL/1860' FWL	14-20-603-2056	P/A			Navajo Nation
F435	4303716304	SE	SW	35	T40S	R24E	820' FSL/1930' FWL	14-20-603-2059	T/A			Navajo Nation
G123	4303716306	NW	NE	23	T40S	R24E	660' FNL/1530' FEL	I-149-IND-8838	Active	G123	G123	Navajo Nation
G127	4303716307	NW	NE	27	T40S	R24E	660' FNL/1980' FEL	14-20-603-2056	Active	G127	G127	Navajo Nation
G319	4303716309	NW	SE	19	T40S	R24E	1920' FSL/2060' FEL	I-149-IND-8836	Active	G319	G319	Navajo Nation
H216	4303716312	SE	NE	16	T40S	R24E	3331' FSL/703' FEL	ML-3156	Active	H216	H216	Navajo Nation
H217	4303716313	SE	NE	17	T40S	R24E	2070' FNL/820' FEL	I-149-IND-8833	Active	H217	H217	Navajo Nation
H220	4303716314	SE	NE	20	T40S	R24E	2025' FNL/560' FEL	I-149-IND-8833	Active	H220	H220	Navajo Nation
H226	4303716316	SE	NE	26	T40S	R24E	1980' FNL/780' FEL	I-149-IND-8838	Active	H226	H226	Navajo Nation
H227	4303716317	SE	NE	27	T40S	R24E	1980' FNL/630' FEL	14-20-603-2056	Active	H227	H227	Navajo Nation
H229	4303716318	SE	NE	29	T40S	R24E	1820' FNL/660' FEL	14-20-603-4030	Shut-In	H229	H229	Navajo Nation
H234	4303716319	SE	NE	34	T40S	R24E	1980' FNL/660' FEL	14-20-603-2056	Active	H234	H234	Navajo Nation
H235	4303716320	SE	NE	35	T40S	R24E	2000' FNL/770' FEL	14-20-603-2059	Active	H235	H235	Navajo Nation
H407	4303716322	SE	SE	7	T40S	R24E	645' FSL/500' FEL	I-149-IND-8835	Active	H407	H407	Navajo Nation
H408	4303716323	SE	SE	8	T40S	R24E	500' FSL/530' FEL	I-149-IND-8834	Active	H408	H408	Navajo Nation
H417	4303716326	SE	SE	17	T40S	R24E	500' FSL/690' FEL	I-149-IND-8833	Active	H417	H417	Navajo Nation

H418	4303716327	SE	SE	18	T40S	R24E	660' FSL/660' FEL	I-149-IND-8835	Active	H418	H418	Navajo Nation
H419	4303716328	SE	SE	19	T40S	R24E	570' FSL/450' FEL	I-149-IND-8836	P/A			Navajo Nation
H420	4303716329	SE	SE	20	T40S	R24E	660' FSL/660' FEL	I-149-IND-8836	Active	H420	H420	Navajo Nation
H421	4303716330	SE	SE	21	T40S	R24E	500' FSL/750' FEL	I-149-IND-8836	Active	H421	H421	Navajo Nation
H424	4303716331	SE	SE	24	T40S	R24E	820' FSL/610' FEL	I-149-IND-8838	Active	H424	H424	Navajo Nation
H426	4303716332	SE	SE	26	T40S	R24E	710' FSL/510' FEL	I-149-IND-8838	Active	H426	H426	Navajo Nation
H427	4303716333	SE	SE	27	T40S	R24E	660' FSL/660' FEL	14-20-603-2056	Active	H427	H427	Navajo Nation
K231	4303716335	SE	NW	31	T40S	R25E	2014' FNL/2054' FWL	14-20-603-372A	Active	K231	K231	Navajo Nation
M430	4303716337	SE	SE	30	T40S	R25E	670' FSL/790' FEL	I-149-IND-8839	Active	M430	M430	Navajo Nation
E414	4303716421	SW	SW	14	T40S	R24E	750' FSL/620' FWL	I-149-IND-8837	Active	E414	E414	Navajo Nation
F114	4303716422	NE	NW	14	40S	24E	720' FNL/1870' FWL	I-149-IND-8839	Active	F114	F114	Navajo Nation
E127	4303716782	NW	NW	27	T40S	R24E	660' FNL/660' FWL	14-20-603-2056	P/A			Navajo Nation
H416	4303720230	SE	SE	16	T40S	R24E	150' FSL/660' FEL	ML-3156	Active	H416	H416	Navajo Nation
G322X	4303720231	NW	SE	22	T40S	R24E	1550' FSL/1720' FEL	I-149-IND-8836	Active	G322X	G322X	Navajo Nation
D412	4303730049	SE	SE	12	T40S	R23E	500' FSL/150' FEL	SL-070968-A	Active	D412	D412	Navajo Nation
E316	4303730094	NW	SW	16	T40S	R24E	2190' FSL/128' FWL	ML-3156	Active	E316	E316	Navajo Nation
G321X	4303730095	NW	SE	21	T40S	R24E	1900' FSL/1755' FEL	I-149-IND-8836	Shut-In	G321X	G321X	Navajo Nation
G316	4303730107	NW	SE	16	T40S	R24E	2320' FSL/1745' FEL	ML-3156	Active	G316	G316	Navajo Nation
C312	4303730112	NW	SE	12	T40S	R23E	1610' FSL/1800' FEL	SL-070968-A	Active	C312	C312	Navajo Nation
A113	4303730119	NW	NW	13	T40S	R23E	700' FNL/650' FWL	SL-070968-A	Active			State of Utah
E218	4303730137	SW	NW	18	T40S	R24E	1860' FNL/660' FWL	SL-067807	Active	E218	E218	Navajo Nation
F118	4303730155	NE	NW	18	T40S	R24E	619' FNL/2184' FWL	SL-067807	Active	F118	F118	Navajo Nation
D113	4303730174	NE	NE	13	T40S	R23E	578' FNL/619' FEL	SL-070968-A	Active			State of Utah
E407	4303730175	SW	SW	7	T40S	R24E	618' FSL/577' FWL	SL-067807	Active	E407	E407	Navajo Nation
E315	4303730213	NW	SW	15	T40S	R24E	2212' FSL/591' FWL	I-149-IND-8834	Active	E315	E315	Navajo Nation
E122	4303730215	NW	NW	22	T40S	R24E	528' FNL/660' FWL	I-149-IND-8836	Active	E122	E122	Navajo Nation
F123	4303730235	NE	NW	23	T40S	R24E	660' FNL/2046' FWL	I-149-IND-8838	Shut-In	F123	F123	Navajo Nation
B413	4303730297	SE	SW	13	T40S	R23E	660' FSL/1980' FWL	SL-070968-A	Active			State of Utah
A313	4303730299	NW	SW	13	T40S	R23E	1840' FSL/470' FWL	SL-070968-A	Active			State of Utah
H315	4303730312	NE	SE	15	T40S	R24E	1980' FSL/660' FEL	I-149-IND-8834	Active	H315	H315	Navajo Nation
F416	4303730333	SE	SW	16	T40S	R24E	1000' FSL/1980' FWL	ML-3156	Active	F416	F416	Navajo Nation
G121X	4303730335	NW	NE	21	T40S	R24E	790' FNL/1780' FEL	I-149-IND-8836	Active	G121X	G121X	Navajo Nation
G116	4303730344	NW	NE	16	T40S	R24E	660' FNL/1980' FEL	ML-3156	Active	G116	G116	Navajo Nation
G126X	4303730372	NW	NE	26	T40S	R24E	860' FNL/1780' FEL	I-149-IND-8838	Active	G126X	G126X	Navajo Nation
F222	4303730373	SE	NW	22	T40S	R24E	1920' FNL/1980' FWL	I-149-IND-8836	Active	F222	F222	Navajo Nation
G122	4303730425	NW	NE	22	T40S	R24E	570' FNL/1960' FEL	I-149-IND-8836	Active	G122	G122	Navajo Nation
H314X	4303731381	NE	SE	14	T40S	R24E	1950' FSL/570' FEL	I-149-IND-8837	Active	H314X	H314X	Navajo Nation

OPERATOR CHANGE WORKSHEET

ROUTING

- | |
|---------|
| 1. GLH |
| 2. CDW |
| 3. FILE |

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:

12/1/2004

FROM: (Old Operator):

N0210-Chevron USA, Inc.
PO Box 4791
Houston, TX 77210-4791

Phone: 1-(713) 752-7431

TO: (New Operator):

N2700-Resolute Natural Resources Company
1675 Broadway, Suite 1950
Denver, CO 80202

Phone: 1-(303) 534-4600

CA No.

Unit:

ANETH

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
NAVAJO FED 9-1 (ANETH E-208)	08	400S	240E	4303716284	99990	Indian	WI	A
NAVAJO TRIBE E-13 (ANETH F-408)	08	400S	240E	4303716298	99990	Indian	WI	A
NAVAJO A-12/23-11 (ANETH F-311)	11	400S	240E	4303716295	99990	Indian	WI	A
NAVAJO TRIBAL E-8 (ANETH F-315)	15	400S	240E	4303716296	99990	Indian	WI	A
NAVAJO TRIBAL G-8 (ANETH F-217)	17	400S	240E	4303716286	99990	Indian	WI	A
NAVAJO TRIBAL G-6 (ANETH F-417)	17	400S	240E	4303716299	99990	Indian	WI	A
NAVAJO FED U 1 (ANETH F-218)	18	400S	240E	4303716287	99990	Indian	WI	A
NAVAJO FED U B-1 (ANETH E-119)	19	400S	240E	4303716280	99990	Indian	WI	A
NAVAJO TRIBE D-8 (ANETH F-220)	20	400S	240E	4303716288	99990	Indian	WI	A
NAVAJO TRIBE D-20 (ANETH F-420)	20	400S	240E	4303716300	99990	Indian	WI	A
NAVAJO TRIBE C-1 (ANETH G-123)	23	400S	240E	4303716306	99990	Indian	WI	A
NAVAJO TRIBE C-16 (ANETH F-224)	24	400S	240E	4303716289	99990	Indian	WI	A
NAVAJO TRIBE C-32 (ANETH F-425)	25	400S	240E	4303716301	99990	Indian	WI	A
NAVAJO TRIBE C-23 (ANETH F-226)	26	400S	240E	4303716290	99990	Indian	WI	A
NAVAJO TRIBE C-4 (ANETH F-426)	26	400S	240E	4303716302	99990	Indian	WI	A
ANETH 27-C-1 (ANETH G-127)	27	400S	240E	4303716307	99990	Indian	WI	A
ANETH H-228	28	400S	240E	4303716228	99990	Indian	WI	A
NAVAJO TRIBE S-4 (ANETH F-229)	29	400S	240E	4303716292	99990	Indian	WI	I
ANETH 34-B-4 (ANETH F-434)	34	400S	240E	4303716303	99990	Indian	WI	A
NAVAJO TRIBE Q-5 (ANETH F-235)	35	400S	240E	4303716293	99990	Indian	WI	A
NAVAJO TRIBE Q-8 (ANETH F-435)	35	400S	240E	4303716304	99990	Indian	WI	A
NAVAJO 3 (ANETH F-236)	36	400S	240E	4303716294	99990	Indian	WI	A

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 12/22/2004
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 12/13/2004

3. The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 11/22/2004

4. Is the new operator registered in the State of Utah: YES Business Number: 5733505-0143

5. If **NO**, the operator was contacted contacted on:

6a. (R649-9-2) Waste Management Plan has been received on: _____ requested

6b. Inspections of LA PA state/fee well sites complete on: 12/20/2004

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM not yet BIA not yet

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: not yet

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

1. Changes entered in the Oil and Gas Database on: 12/29/2004
2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 12/29/2004
3. Bond information entered in RBDMS on: n/a
4. Fee/State wells attached to bond in RBDMS on: n/a
5. Injection Projects to new operator in RBDMS on: separate list
6. Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: B001263

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: B001264

FEE & STATE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number B001262
2. The FORMER operator has requested a release of liability from their bond on: not yet
The Division sent response by letter on: _____

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 12/29/04

COMMENTS: